eukula®
WOOD.FLOOR.LOVE

eukula nature 484

Natural look, perfect protection

The unique 2 part wood floor lacquer

for a look and feel “like untreated“.

A raw wood look is all the rage. Many customers want their wooden floor at home to have a look that corresponds to that of an untreated floor.

With our eukula nature 484, we offer a 2-component lacquer that gives wooden floors a perfectly natural appearance. At the same time, the floor acquires a surface that gives the sensation of untreated raw wood.

natural look

barefoot friendly

ceramic reinforced

10 reasons for nature 484

01
Especially recommended for use on light wood species

Light wood species retain their natural, light wood tone thanks to the special formulation of eukula nature 484.

02
Matt, micro rough and natural looking surface

This is how eukula nature 484 guarantees the quality „as if untreated“. Both the look and the feel resemble that of raw wood.

03
Water-based

The 2-component special water-based lacquer provides a naturally beautiful look and feel to the floor.

04
High resistance for heavy use

Perfectly natural look meets maximum resistance to common household chemicals.

05
Ceramic reinforced

The ceramic reinforcement ensures the best resistance to heavy wear and tear.

06
Easy to apply

The simple use of eukula nature 484 makes perfect results easy to achieve.

07
Maximum flexibility

eukula nature 484 can be combined with many other products from the eukula range, for example with the solvent-free eukula color oil FS.

08
Tested according to DIN 51130, slip resistance class R9

Equipped with the standard slip resistance class R9, eukula nature 484 offers a high degree of slip resistance.

09
Increases slip resistance with the R10 add

By adding the R10 antislip add, an even increased slip resistance of R10 is achieved.

10
Low odour **low in solvents <5%**

Thanks to the water-based formulation and high-quality raw materials, eukula nature 484 is particularly low-odour and ensures good indoor air.



download now

How to properly clean and care for lacquered floors – simply explained step by step: eukula.com/en/care-instructions

2022/2023 KLIMASCHUTZ PARTNER
PLANT-MY-TREE®

Member of DGNB
Deutsche Gesellschaft für Nachhaltiges Bauen
German Sustainable Building Council

eukula® a brand of Dr. Schutz® GROUP

D
Dr. Schutz International
Holbeinstraße 17
D-53175 Bonn, Germany
+49 (0) 228 / 953 52 - 0
export@dr-schutz.com

US
Sam Jamison
219 Monroe St
Stowe Pennsylvania 19464, USA
001/610 310 2412
sam@dr-schutz.us

UK
Guy White
5-11 Mortimer Street
W1T 3HS London, UK
+44 7587 053634
guy.white@drschutz.co.uk

Ireland
Paul O'Reardon
35 Pic Du Jer Park
Ballinlough | Cork, Ireland
00353/877 678 388
drschutzireland@gmail.com

www.eukula.com
/eukula_de JOIN US
/eukula_int

Art. Nr.: 6000073801 09/26