



PRODUCT OVERVIEW 2023



average


50%

cost reduction

at least

98%

saving of CO₂
emissions



Give your floors a second life



Learn more about our
sustainability promise
Dr. Schutz®



CONTENT

Dr. Schutz®

Products for resilient and resin floors	4
Only for trained and certified professionals	11
Products for synthetic fibre carpets	18
Products for natural fibre carpets & rugs	20
Cleaning & care products for wood, laminate and cork	21
Outdoor care.....	24
Products for stone & tiles.....	25
Interior products	25

eukula®

Discover eukula new	26
Overview eukula lacquer system	28
Products water-based lacquer system.....	30
Only for trained and certified professionals	33
Solvent-based products	35
Overview eukula oil system	36
Products eukula oil system.....	36
Cleaning and care products for wood and cork.....	39
Show your WOOD.FLOOR.LOVE.....	42

Cleaning appliances and accessories

Safe preparation of floor coverings	44
Cleaning appliances and accessories.....	45

scratchnomore

scratchnomore - furniture foot-gliders.....	56
---	----

Know-how & sales tools for professionals	60
--	----

Sales support for your customer meetings	60
--	----

Dr. Karl Schutz Training Academy	61
--	----

PRODUCTS FOR RESILIENT AND RESIN FLOORS

STRIPPING | 2-PART-PU COATINGS FOR LONG-TERM PROTECTION



Clean and Strip

Item number	Packaging	Units	Coverage per item*
06170750	750 ml	6	as required
06170005	5 l		as required
06170010	10 l		as required

Gentle strip-cleaner with strong solvent properties and low alkalinity for the removal of waxes, mopped careproducts, care films, as well as glue residues and building dirt for post-construction cleaning of factory-applied PU finishes. Universal strip-cleaner for all resilient floors. Range 0.75l: 7,5 m² undiluted up to 75 m² 1:10 diluted. Range 5l: 50 m² undiluted up to 500 m² 1:10 diluted. Range 10l: 100 m² undiluted up to 1000 m² 1:10 diluted.



Turbo-Strip

Item number	Packaging	Units	Coverage per item*
09710010	10 l		as required

Express-strip-cleaner with quick solvent formula and low alkalinity. Powerfully and thoroughly removes care-films of innately glossy dispersions, even for stubborn, old or multi-layered care-products, as well as floor areas covered with very thick care-products. Short soaking-in time, low odour, for professional use in public buildings, on PVC, polyolefin and rubber. Range: 100 m² undiluted up to 500 m² when diluted 1:5.



Super Basic Cleaner for PVC

Item number	Packaging	Units	Coverage per item*
09700005	5 l		as required

Alkaline cleaner with high dissolving power for removing residues of wash polishes and self-shining dispersions. For professional use only on PVC. Range: 33,3 m² undiluted, up to 300 m² when diluted 1:5.



PU Sealer

Item number	Packaging	Units	Coverage per item*
ultramat			
50540005	5 l + 500 ml		55 m ²
50540001	0,9 l + 90 ml		10 m ²
mat			
50520005	5 l + 500 ml		55 m ²
50520001	0,9 l + 90 ml		10 m ²
satin			
50500005	5 l + 500 ml		55 m ²
50500001	0,9 l + 90 ml		10 m ²
gloss			
50530005	5 l + 500 ml		55 m ²

Special water-based 2-part polyurethane sealer for the long-term protection of floors. Only for professional users. Reduces dirt adhesion and the time needed for day-to-day maintenance. Hardwearing sealer film, excellent elasticity and good resistance against colorless chemicals. Optional in one-coat system with 1x 100ml/m² or in two-coat system with 2 x 50ml/m². Easy and safe to apply with excellent adhesion. High solids content. No intrinsic yellowing. Tested according to DIN 18032-2 and DIN EN 14904, suitable for sports floors (satin). Very low emission (EMICODE: EC1). abZ-Nr. Z-157.20-69, emission tested building material. Slip-resistant category R9.

→ **Recommended accessories:** see matrix "Safe preparation of floor coverings" → page 44

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information..

PRODUCTS FOR RESILIENT AND RESIN FLOORS

2-PART-PU COATINGS FOR LONG-TERM PROTECTION



www.blauer-engel.de/uz12a

PU NEO solvent and isocyanate free

Item number	Packaging	Units	Coverage per item*
mat			
50320005	5 l + 500 ml		55 m ²
50320001	0,9 l + 90 ml		10 m ²
satin			
50310005	5 l + 500 ml		55 m ²
50310001	0,9 l + 90 ml		10 m ²

Innovative water-based 2-component polyurethane sealer on the basis of carbodiimide cross-linking for the long-term protection of floors. Low emissions, because solvent-free. No labelling obligation, because without isocyanate. Hard-wearing sealing film, excellent elasticity and good resistance against colourless chemicals. Easy application with good adhesion. Can be applied optionally in single-coat system (1x100ml/sq.m) or in 2-coat system (2x50ml/sq.m). Reduces dirt adhesion and care time. Safe to use in application. High solids content. No intrinsic yellowing. Slip-resistance class R9. Emissions tested building material in accordance with AgBB principles.



PU Anticolor

Item number	Packaging	Units	Coverage per item*
mat			
41720006	5 l + 2x 500 ml		60 m ²
41720001	0,9 l + 2x 90 ml		11 m ²
satin			
41700006	5 l + 2x 500 ml		60 m ²
41700001	0,9 l + 2x 90 ml		11 m ²
semi gloss			
41000025	2 l + 500 ml	2	25 m ²

Water-based 2part-polymer-sealer with especially high cross-linking density and therefore high resistance to coloured dyes, plasticizers and chemicals. Only for professional use. Reduces dirt adhesion and the time needed for day-to-day maintenance. Hard-wearing sealer-film, excellent elasticity. Easy and safe to apply with excellent adhesion. High solids content. Low emission (EMICODE: EC2). abZ-Nr. Z-157.20-69, emission tested building material. Slip-resistant category R9.

3-PART-PU COATINGS FOR LONG-TERM PROTECTION



VIROBAC Sealer New

Item number	Packaging	Units	Coverage per item*
mat			
5010000590	5l+500ml+0,05l		55 m ²
satin			
5012000590	5l+500ml+0,05l		55 m ²

Special water-based 3-part polyurethane lacquer. Permanent surface finish for the long-term protection of floors. Has an antibacterial (tested based on EN 13697) and antiviral (tested based on EN 16777) effect. For use after installation or renovation of floor coverings. For healthcare applications. Suitable for areas subject to heavy wear and mechanical stress. For professional use only.

→ Recommended accessories for all coatings: Aquatop lacquer roller, lattice frame

** As a representative proxy, the gloss levels were tested for PU Sealer satin and PU Anticolor mat.

PRODUCTS FOR RESILIENT AND RESIN FLOORS

SUPPLEMENTARY PRODUCTS FOR PU SEALER



R10 Antislip Add

Item number	Packaging	Units	Coverage per item*
40020500	500 ml		110 m ²

Structuring additive for increasing slip resistant safety. For Dr. Schutz 2-component water-based lacquers and for eukula strato lacquers in a top-coat. Fluid compound for simplified application. Effective results. Slip resistance class R10 in accordance with BGR 181 and DIN 51130. VOC free. Meets and exceeds HSE slip resistance guidelines of low risk for floors according to BS 7976-2 in the UK.

R11 Antislip Add

Item number	Packaging	Units	Coverage per item*
4000044005	440 g		110 m ²

Ceramic-based structuring additive of coarser grain for Dr. Schutz 2-component lacquers and for eukula strato lacquers. Due to the resulting surface structure the slip resistance of the floor is substantially increased. Due to the round form of the grain, soiling is reduced despite increased structure. Slip resistance class C for wet-barefoot areas according to DIN 51097. Slip resistance class R11 in application with Dr. Schutz and eukula-2-component lacquers (see list on the product page Antislip Additive under www.dr-schutz.com). Only for professional use. VOC free. Meets and exceeds HSE slip resistance guidelines of low risk for floors according to BS 7976-2 in the UK



Duro Plus L Add

Item number	Packaging	Units	Coverage per item*
43010001	1 l		110 m ²

Fluid additive for renewed increase in scratch resistance and matting finish. For all Dr. Schutz 2-component lacquers and for eukula strato lacquers. Easy to work in, effective results. VOC free.



Decelerator Add

Item number	Packaging	Units	Coverage per item*
01130250	250 ml		5 l

Drying decelerator for Dr. Schutz and strato water-based lacquers.

Flex Add

Item number	Packaging	Units	Coverage per item*
40030200	200 ml		

Flexibilising additive for isocyanate crosslinked 2-component systems. Can be combined with all Dr. Schutz 2-component water-based sealers. Emission free.

PRIMERS FOR SPECIAL SUBSTRATES



Primer for screed floors

Item number	Packaging	Units	Coverage per item*
20010005	5 l		60-80 m ²

Water-based roll-out primer for approved absorbent, cement-based resin substrates before sealing with Dr. Schutz PU Anticolor. Reduces absorbency, improves adhesion of the subsequent sealing film. Good penetrating quality, even visual impression, easy to use.

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

*** Only on flooring compounds and screeds that have been tested and approved by us.

PRODUCTS FOR RESILIENT AND RESIN FLOORS

PRIMERS FOR SPECIAL SUBSTRATES



Lino Primer

Item number	Packaging	Units	Coverage per item*
20000002	2 l + 90 ml	2	70 m ²

Two component roll-on primer for openpored linoleum. Only for professional users. Reduces porousness and prepares the subsurface for subsequent applications. Good penetrating quality, even visual impression, easy to use. Optimal for subsequently applied Dr. Schutz PU sealers or Dr. Schutz hard sealers. For professional use only.



Super Bond

Item number	Packaging	Units	Coverage per item*
03010005	5 l		200-250 m ²

Bonding primer for isocyanate-reactive non porous siliceous substrates, such as ceramic tiles, polished stone surfaces (e.g. granite), as well as glass and metal surfaces. Solvent free, easy to use, does not form a film.



Concrete Prime

Item number	Packaging	Units	Coverage per item*
2005000525	5 l + 0,5 l		55 m ²

Water-based two-part primer. For sanded concrete floors before using a protective Dr. Schutz PU sealing. For use in decorative residential and commercial areas. Also suitable for priming before using acrylic care polishes (e.g. Dr. Schutz Secura).

CONVENTIONAL HARD SEALERS



Secura Mat Hard Sealer

Item number	Packaging	Units	Coverage per item*
26500005	5 l		100 m ²
26500010	10 l		200 m ²

Metal cross-linked polymer dispersion for the initial care of strip-cleaned floors in public buildings. Protects the floor. Reduces dirt adhesion. Makes day to day cleaning easier. The step safety of the floor is still retained. Results in a slip-resistant, satin-matt care-film with good resistance to heel-marks. Fulfills the requirements of German norm DIN 18 032 for sports floors.



Ultra High Shine Hard Sealer

Item number	Packaging	Units	Coverage per item*
25500005	5 l		100 m ²
25500010	10 l		200 m ²

Metal cross-lined polymer dispersion for the initial care of strip-cleaned floors in public buildings. Protects the floor. Reduces dirt adhesion. Makes day to day cleaning easier. The step safety of the floor is still retained. Suitable for care-film renovation in a high-speed process. Results in a slip-resistant, glossy care-film with good resistance to heel-marks.

PRODUCTS FOR RESILIENT AND RESIN FLOORS

CONVENTIONAL HARD SEALERS / FLOOR CARE PRODUCTS



Medica Hard Sealer

Item number	Packaging	Units	Coverage per item*
29500005	5 l		100 m ²

Special, metal cross-linked polymer dispersion for the initial care of strip-cleaned floors in the area of medical practice and health care. With increased resistance against disinfectants and compounds containing alcohol. Dirt adhesion is reduced and day to day cleaning is made easier. Suitable for care-film renovation in a high-speed process. Results in a slip-resistant, satin-gloss care-film.



Floor mat

Item number	Packaging	Units	Coverage per item*
26170750	750 ml	6	15 m ²
26170005	5 l		100 m ²

Matt polymer dispersion for the initial care of newly laid, or strip-cleaned floors, and for the refreshing of PU coated floors. For households and public buildings. Free of metal. Protects the floor with an elastic, slip-resistant, matt care-film. Dirt adhesion is reduced and day to day cleaning is made easier. Now delivers an even matter finish – for a natural appearance. Fulfills the requirements of German norm DIN 18032 (sliding behaviour) for sports floors.



Floor shine

Item number	Packaging	Units	Coverage per item*
20020750	750 ml	6	15 m ²
20020005	5 l		100 m ²

Glossy polymer dispersion for the initial care and refreshing of strip-cleaned floors and PU coated floors. For households and public buildings. Free of metal. Protects the floor with an elastic, slip-resistant, glossy care-film. Dirt adhesion is reduced and day to day cleaning is made easier. Suitable for care-film renovation in a high-speed process.

CLEANING PRODUCTS



PU Cleaner

Item number	Packaging	Units	Coverage per item*
07150750	750 ml	6	750 m ²
07150005	5 l		5.000 m ²
07150010	10 l		10.000 m ²

Cleaning concentrate for post-construction and day to day cleaning of factory-applied PU/PUR finishes, or with floors treated with a Dr. Schutz PU Sealer. High cleaning power, even on residues containing grease. Does not leach out the surface, does not form a grey haze. Cleaning without residue of care-film, free of streaks. For slip-resistant surfaces. Fulfills the requirements of German norms DIN 18032 and DIN EN 14904 for sports floors.



Spraymax

Item number	Packaging	Units	Coverage per item*
11400001	1 l	5	50 m ²

Environment-friendly cleaner for all hard floors (PVC, lino, CV, Design floors, stone floors and all wood, cork and laminate floors) used in combination with our Spray-Mop. Also ideal for post-installation cleaning.

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

PRODUCTS FOR RESILIENT AND RESIN FLOORS

CLEANING PRODUCTS



Design Floor Care Set

Item number	Packaging	Units	Coverage per item*
07260750		9	

Consists of 750ml PU Cleaner for regular cleaning, 750ml Floor Mat for refreshing worn surfaces, a white hand-pad for removing heel-marks, as well as cleaning and care instructions in accordance with DIN 18365.



Floor Cleaner R 1000

Item number	Packaging	Units	Coverage per item*
00170750	750 ml	6	750 m ²
00170025	2,5 l	4	2.500 m ²
00170005	5 l		5.000 m ²
00170010	10 l		10.000 m ²

For day-to-day cleaning and care of all resilient floors. Also recommended for the initial care of rubber floors. Slip-resistant, anti-static and repels dirt. Fulfills the DIN 18032 requirements for sports floors. Can be polished and is suitable for use with cleaning machines.



Disinfectant Cleaner Concentrate

Item number	Packaging	Coverage per item*
46850005	5 l	depends on the dilution and intended soak-in time

Surface disinfectant cleaner for application by mopping in medical areas. Alcohol-free fluid concentrate based on tertiary alkylamine. Acts effectively as anti-bacterial, fungicidal and virucidal (e.g. against hepatitis-B viruses). The combination of active substances with anionic and non-ionic surfactants provides for high surface activity and causes good cleaning effectiveness with a comparatively low pH-value. Tested in accordance with the standard methods of the DGHM for testing chemical disinfectant procedure (dated 01.09.2001) and in compliance with the requirements for testing methodology of the VAH (dated 15.04.2010).



ESD Floor Cleaner

Item number	Packaging	Units	Coverage per item*
50910010	10 l		10.000 m ²

Cleaning concentrate for the day to day and post-construction cleaning of conductive floors, also after sealing with Dr. Schutz ESD Sealers. Excellent binding of dirt, including residues containing grease. Does not leach out the surface, does not form a grey haze. Streak-free cleaning.



Active Cleaner R 280

Item number	Packaging	Units	Coverage per item*
02170750	750 ml	6	37,5 m ²
02170005	5 l		250 m ²

Neutral active cleaner for the day to day cleaning of floors and the gentle removal of intense dirt and grease. Ideal for post-construction cleaning of floors in households and public buildings. Without solvating the existing care-films. Can be used for the cleaning of all washable surfaces. Excellent cleaning and emulsification properties.

PRODUCTS FOR RESILIENT AND RESIN FLOORS

SPECIAL PRODUCTS



Elatex Stain Remover

Item number	Packaging	Units	Coverage per item*
13200200	200 ml	6	as required

Universal surfactant-free stainremover for the removal of heel-marks and stubborn stains, like glue residues, as well as water-soluble or water-insoluble stains in households, such as cola, fruit juice, ketchup, ball-pen ink, jam, red wine, coffee, chocolate, chewing gum, shoe creme, nail polish, tar, felt-pen and many more. Reinforces the effect of strip-cleaners when removing layers of dispersion.



Scratch Fix Floor Repair Set

Item number	Packaging	Units	Coverage per item*
06010004		3	as required

The solution for the partial renovation of scratches and stress whitening on PVC Designfloors and other resilient floor coverings. Includes the PU Repair Spray for restoring the surface after fine scratches, the PU Repair Pen for mending deep scratches, as well as a complete package of accessories with instructions for use. Optimal matching of the gloss grade on modern Design floors.



Handball resin remover

Item number	Packaging	Units	Coverage per item*
01090025	2,5 l	2	

Mixture of mild solvents. For the cleaning of stains, resins, heel-marks, as well as the removal of wax films on parquet, wood floors and other solvent-free surfaces. Especially suitable for removing resins in the area of sport floors, whose subsurface can be damaged by alkaline cleaning solutions.

Application advices and care instructions can be found at → dr-schutz.com/care-instruction

All items and quantities that you need for stripping, neutralization and coating of resilient floors can be found at → dr-schutz.com/calculation

SERVICE

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS

**PU Color** on demand

Item number	Packaging	Units	Coverage per item*
	5,5 kg + 500 ml 1 kg + 90 ml		

Colored 2-component polyurethane sealer on water basis. Only for professional use. Durable sealer film, excellent elasticity and good resistance against colorless chemicals. Easy application and good adhesion, safe to use in application. High solids content. Color tones: on request by the customer. Possible color selection according to RAL-K5, NCS-S, Pantone and Sikkens 4041, excluding fluorescent and metallic colors, and according to given samples. abZ-Nr. Z-157.20-69, emissions tested building material in accordance with AgBB principles. Please note: Only for trained and certified professionals.

**Foils & Templates**

on demand

For the individual creation of floors in combination with PU Color. Decorative motifs, borders, samples, logos, route-signs and much more. Can be used in public buildings, schools and kindergartens, hospitals, old people's homes, hotels and restaurants, industrial buildings, as well as private rooms. Only for use by trained and certified professionals.

Templates for the individual creation of floors in combination with PU Sealer/PU Color.

**Renovation boards and skirting boards**

Description	Item number	Packaging	Units
Variable package consisting of 5 units, free choice of:	9100001100		
Floor remake renovation board, white-lacquered	8000001000	L: 2 m B: 22 mm H: 110mm	9
Floor remake renovation board, white primer	8000001100	L: 2 m B: 22 mm H: 110mm	18
Floor remake skirting board, white-lacquered	8000001500	L: 2m B: 13 mm H: 58mm	17
Floor remake skirting board, white primer	8000001600	L: 2m B: 13 mm H: 58mm	17

The extra-large renovation boards, which can be installed over existing baseboards, and the simple modern square skirting boards protect the wall from dirt and wear and ensure a clean transition between the floor covering and the wall. Available in white, optionally lacquered or primed.

Floor Remake glue for skirting boards

Item number	Packaging	Units	Coverage per item*
8000001900	310 ml	6	

Glue for renovation and skirting boards

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS

Chips



Item number	Packaging	Units	Coverage per item*
	1 kg 100 g		

Colored chips for scattering when creating floors in combination with PU Color/PU Sealer. Available in 2 sizes (1 and 3mm), in many standard and special colours.



Chipper Pro consists of: Chipper turbine, flocking gun, shoulder strap for turbine, systainer for turbine and flocking gun

Item number	Packaging	Units	Coverage per item*
8000506000			

Spreads chips over large areas in the shortest time. Thanks to HVLV technology, the new DS Chipper Pro makes it possible to scatter coloured and decorative chips very quickly, effectively and uniformly, for example using the PU Design chip technique.



PU Color Decorative Edge Applicator 25 x 15 cm

Item number	Packaging	Units	Coverage per item*
8000925200			


Handy applicator for decorating edge areas and smaller areas in combination with PU Color. Size: 15cm x 15cm.



PU Color Decorative Roller 18 cm

Item number	Packaging	Units	Coverage per item*
8000925100			

Rosette-roller with leather flap. For the decoration of large areas in combination with PU Color. Width: 18cm. Without bracket.



Floor and Sport Liner

Item number	Packaging	Units	Coverage per item*
800000900			

The Floor and Sport Liner is a marking device for creating absolutely uniform and precise, decorative and technical masking work on the floor, such as sports floor lines, before colouring it with the floor remake system. Specially adapted to the Dr. Schutz ProTape 30mm. **Ideal for attractive floor designs in many areas such as daycare centers, schools, surgeries, nursing homes, hospitals etc.**

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS



PU LINE COLOR

Product	Item number	Packaging
PU LINE COLOR YELLOW RAL 1012	5001101290	1 kg + 0,09 l
PU LINE COLOR WHITE RAL 1013	5001101390	1 kg + 0,09 l
PU LINE COLOR ORANGE RAL 2000	5001200090	1 kg + 0,09 l
PU LINE COLOR RED RAL 3000	5001300090	1 kg + 0,09 l
PU LINE COLOR BLUE RAL 5010	5001501090	1 kg + 0,09 l
PU LINE COLOR LIGHT BLUE RAL 5012	5001501290	1 kg + 0,09 l
PU LINE COLOR GREEN RAL 6016	5001601690	1 kg + 0,09 l
PU LINE COLOR LIGHT GREEN RAL 6018	5001601890	1 kg + 0,09 l
PU LINE COLOR BLACK RAL 9005	5001900590	1 kg + 0,09 l

For professional use only. Special water-based 2-part polyurethane sealer. For colours marking courts and fields. With reduced bleeding under marking tapes on sport floors and increased opacity for application with one coat.



PU FIELD COLOR

Product	Item number	Packaging
PU FIELD COLOR YELLOW RAL 1012	5005101250	5,5 kg + 0,5 l
PU FIELD COLOR WHITE RAL 1013	5005101350	5,5 kg + 0,5 l
PU FIELD COLOR ORANGE RAL 2000	5005200050	5,5 kg + 0,5 l
PU FIELD COLOR RED RAL 3000	5005300050	5,5 kg + 0,5 l
PU FIELD COLOR BLUE RAL 5010	5005501050	5,5 kg + 0,5 l
PU FIELD COLOR LIGHT BLUE RAL 5012	5005501250	5,5 kg + 0,5 l
PU FIELD COLOR GREEN RAL 6016	5005601650	5,5 kg + 0,5 l
PU FIELD COLOR LIGHT GREEN RAL 6018	5005601850	5,5 kg + 0,5 l
PU FIELD COLOR BLACK RAL 9005	5005900550	5,5 kg + 0,5 l

For professional use only. Special water-based 2-part polyurethane sealer. For the full/solid colouring of floor areas. Ideal option in flow for opaque lacquer covering on sport courts and fields with a single application.



→ CALL US!
WE QUALIFY &
CERTIFY!



EP Prime

Item number	Packaging	Units	Coverage per item*
20040005	19,7 kg + 5,3 kg		
20040049	3,86 kg + 1,04 kg		
(order related production)			

2-component primer based on epoxy resin. For the pretreatment of subsurfaces as a barrier and adhesive primer on stable founding concrete, tiled and screed floors, before further treatment with Dr. Schutz PU Flow or Dr. Schutz PU Color. Only for professional users.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS



EP Prime Add

Item number	Packaging	Units	Coverage per item*
20060003	3 l		
20060600	600 ml		

System dilution. For the application of EP Prime with the roller.



PU Flow

Item number	Packaging	Units	Coverage per item*
20030005	20,5 kg + 4,5 kg		
20030049	4,02 kg + 0,88 kg		
(order related production)			

2-component cast coating based on polyurethane resin. To produce well levelled surfaces before creating coloured designs with Dr. Schutz PU Color in the renovation of floor coverings firmly bonded to the subsurface, like concrete, ceramic tiles. Only for professional users.



PU Flow color RAL 1014; RAL 7001; RAL 7035

Item number	Packaging	Units	Coverage per item*
	20,5 kg + 4,5 kg		

Pigmented version of PU Flow. Only for professional users.

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS



→ CALL US!
WE QUALIFY &
CERTIFY!

**UV-2 PART-PU SEALER SYSTEM -
FOR IMMEDIATE REOPERATION OF THE OBJECT**



UV PU Sealer

Item number	Packaging	Units	Coverage per item*
mat 50720005	5 l + 500 ml		
satin 50690005	5 l + 500 ml		

Special water-based Dual-Cure polyurethane sealer with UV and isocyanate cross-linking for the long-term protection of floors. Can be used directly after UV treatment. Reduces dirt adhesion and care time. Durable sealer film. Very good resistance against colorless chemicals. Please note: Only for professional use and for trained staff.



FLOORMATE UV3000 for rent

Item number	Packaging	Units	Coverage per item*
8000010300			

For the UV curing of UV PU Sealer in the surface. Self-driving. Working width 40 cm. For trained users only.



HANDMATE UV600 for rent

Item number	Packaging	Units	Coverage per item*
8000010400			

For hand-guided UV curing of UV PU Sealer in the edge area and stairs. For trained users only.

Dr. Schutz shows you how to do it!

You want to know more about what our products do, or would like to make doubly sure before using them?

In short clips we show you how to apply our products, how they work and what advantages they have. How to tips on our youtube channel:



youtube.com/DrSchutzInt

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS



ESD SYSTEMS FOR THE PROTECTION AND RENOVATION OF CONDUCTIVE FLOORS



ESD Hicon Primer

Item number	Packaging	Coverage per item*		
5309000501	5,5 kg + 18 kg			
5309004624	1,08 kg + 3,55 kg			

Water-based epoxy primer with high conductivity. For modifying non-conductive floors to conductive prior to sealing with Dr. Schutz ESD Color Base. For floors with high requirements to dissipation of electrostatic charge. For mineral floors.



ESD Color Base on demand

Item number	Packaging	Coverage per item*		
	5,5 kg + 500 ml			
	1 kg + 90 ml			

Special conductive water-based 2-component polyurethane sealer. With high horizontal and vertical conductivity for the renovation of conductive floors before the final finish with Dr. Schutz ESD Top Coat. Fulfills the requirements of EN 61340-5-1, ANSI/ESD S.20.20 (IEC 61340-4-1,4-5, ANSI S7.1, ESD STM97.1), TRBS 2153. Durable sealer film, excellent elasticity and good resistance against colorless chemicals. Please note: Only for professional use and for trained staff.



ESD Base Coat satin

Item number	Packaging	Coverage per item*		
53000005	5 kg + 500 ml			

Special conductive water-based 2-component polyurethane sealer. With high horizontal and vertical conductivity for the renovation of conductive floors before the final finish with Dr. Schutz ESD Top Coat. Fulfills the requirements of EN 61340-5-1, ANSI/ESD S.20.20 (IEC 61340-4-1,4-5, ANSI S7.1, ESD STM97.1), TRBS 2153. Durable sealer film, excellent elasticity and good resistance against colorless chemicals. Please note: Only for professional use and for trained staff.

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

SPECIAL PRODUCTS - ONLY FOR TRAINED AND CERTIFIED PROFESSIONALS

**ESD Top Coat satin**

Item number	Packaging	Coverage per item*		
53020005	5 kg + 500 ml			
53020001	1,1 kg + 90 ml			

Special conductive water-based 2-component polyurethane sealer for the long-term protection of floors. Fulfills the requirements of EN 61340-5-1, ANSI/ ESD S20.20 (IEC 61340-4-1,4-5, ANSI S7.1, ESD STM97.1), TRBS 2153 when applied as the final finish over Dr. Schutz ESD Base Coat, or over Dr. Schutz ESD Color Base in a single-coat application on subsurfaces with good conductivity without previous priming. Reduces dirt adhesion and care time. Durable sealer film, excellent elasticity and good resistance against colorless chemicals. Please note: Only for professional use and for trained staff.

**ESD Medicoat satin** on demand

Item number	Packaging	Coverage per item*		
53040005	5 kg + 2x 500 ml			

Special conductive water-based 2-part polyurethane sealer with especially high crosslinking density and high re-sistance against dying chemicals. For the long-term protection of conductive PVC and epoxy resin floorings. Fulfills the requirements of EN 61340-5-1, ANSI/ESD S20.20 (IEC 61340-4-1,4-5, ANSI S7.1, ESD STM97.1), TRBS 2153 in single layer application on floorings which provide good conductivity. Hardwearing sealer film. Please note: Only for professional use and for trained staff.

**Earth conductor socket**

Item number	Packaging	Coverage per item*		
8000540000				

Earth conductor socket ready for installation with 2m self-adhesive copper tape, measuring point and connection cable to create the necessary discharge point for dissipative Dr. Schutz ESD surfaces.

**Electric field meter EFM 8120** for rent

Item number	Packaging	Coverage per item*		
8000010500				

For determination of the walking test charge according to DIN EN 61340-4-5. For trained users only.

**EP-STATEST-FLOOR** for rent

Item number	Packaging	Coverage per item*		
8000010600				

To determine the conductivity according to DIN EN 61340-4-1. For trained users only.

PRODUCTS FOR SYNTHETIC FIBRE CARPETS

PRE-AND INTENSIVE CLEANERS



Fresh Up 2 in 1

Item number	Packaging	Units	Coverage per item*
12300500	500 ml	6	20 m ²
12300005	5 l		200 m ²

Provides fresh air indoors, thanks to a new FreshUp formula. Bad odors on carpet floors and upholstery are completely absorbed. Moreover, also dissolves dirt and stains, therefore ideal as a pre-cleaner before spray-extraction or dry-cleaning of carpets and upholstery. Suitable for fibrepad cleaning.



Carpetlife Tebo dry cleaning granulate

Item number	Packaging	Units	Coverage per item*
10500001	1 kg	10	15 m ²
10500010	10 kg		150 m ²

A carpet cleaning granulate with excellent dirt releasing properties for the intensive cleaning of textile floor coverings. It is possible to walk on the floor at all times during the cleaning operation. Ideally suitable for the cleaning of moisture-sensitive floors as well as for loosely installed or tightened carpets. Minimised development of dust due to an optimised dispersion of granule sizes. Recommended accessories: Multi Clean 350.



Concentrated Carpet Cleaner also suitable for wool

Item number	Packaging	Units	Coverage per item*
14820750	750 ml	6	50 m ²
14820005	5 l		350 m ²

Spray-extraction cleaner for fibre-deep cleaning of carpet floors and upholstery made of synthetic fibres and wool. With integrated stain-dissolver and foam inhibitor, incl. FreshUp formula for better air indoors. With soft-feel effect.



Carpet Floor Cleaning Kit

Item number	Packaging	Units	Coverage per item*
14800750		9	

Everything for successful carpet cleaning and care. 100ml Floor Mate for removing water-soluble and non-water soluble stains from wall-to-wall carpet and fitted carpets made of synthetic fibers, 750ml Concentrated Carpet Cleaner for fiber-deep cleaning of carpets made of synthetic fibers and wool and 500ml Baygard for impregnation after cleaning.

On demand. Currently not available in English.

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

STAIN REMOVER

**Floor Mate**

Item number	Packaging	Units	Coverage per item*
15400100	100 ml	12	as required
15400400	400 ml	6	as required

Removes water-soluble and non-water-soluble stains from carpet floors and fitted carpets made of synthetic fibres. Its active oxygen component is also effective in treating intensively coloured stains such as red wine, coffee, tea, etc.

**Super Stain Remover R**

Item number	Packaging	Units	Coverage per item*
13010200	200 ml	12	as required

Professional solvent-based stain remover of particularly stubborn water-insoluble stains such as grease, oil, chewing-gum, laquers. Extremely flammable.

**Stain Removal Set**

Item number	Packaging	Units	Coverage per item*
13020200	Set	12	as required

Consists of 100ml Floor Mate for removing water-soluble and non-water soluble stains from wall-to-wall carpets and fitted carpets made of synthetic fibers, 200ml Super Stain Remover R for removing stubborn stains, a microfiber cloth and a stain removal guide.

On demand. Currently not available in English.

PROTECTIVE AGENTS

**"Baygard" Carpet Protection Spray**

Item number	Packaging	Units	Coverage per item*
15050500	500 ml	6	20 m ²
15050005	5 l		200 m ²

Provides longlasting anti-dirt/-dust protection for textile floor coverings, wall coverings and wallpaper with a textile finish. Envelops the fibres in an invisible, dirt-resistant film, stabilises carpet pile, prevents felting and fading.

**Stain Guard**

Item number	Packaging	Units	Coverage per item*
16010400	400 ml	6	10 m ²

A long-lasting impregnation treatment to guard against stains and marks. Liquids form into droplets on the surface and can be dabbed up with a cloth. For textile floor coverings and upholstery made of synthetic fibres, natural fibres and mixtures of the same, as well as smooth and rough-surfaced leather. Extremely flammable.

PRODUCTS FOR NATURAL FIBRE CARPETS & RUGS



Concentrated Carpet Cleaner also suitable for wool

Item number	Packaging	Units	Coverage per item*
14820750	750 ml	6	50 m ²
14820005	5 l		350 m ²

Spray-extraction cleaner for fibre-deep cleaning of carpet floors and upholstery made of synthetic fibres and wool. With integrated stain-dissolver and foam inhibitor, incl. FreshUp formula for better air indoors. With soft-feel effect.



Alibaba Stain Remover for natural fibre

Item number	Packaging	Units	Coverage per item*
13300200	200 ml	6	as required

Broad spectrum stainremover, kind to carpets and fitted carpets made of wool, silk, jute, coconut-fibres and other natural fibres. Also suitable for oriental carpets.



Dry Foam for Carpets and Upholstery for natural fibre

Item number	Packaging	Units	Coverage per item*
10120400	400 ml	6	10 m ²

A dry foam with excellent cleaning qualities as a mild shampoo treatment. For natural fibre and oriental carpets (e.g., wool, silk, coir, jute, sisal), up-holstery, textile-finish wall coverings, etc. Extremely flammable.

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

CLEANING & CARE PRODUCTS FOR WOOD, LAMINATE AND CORK

**Wood & Cork Floor Polish satin** ■

Item number	Packaging	Units	Coverage per item*
20120750	750 ml	6	30 m ²
20120005	5 l		200 m ²

For the initial care treatment and refreshing of all sealed wood and cork floors treated with a water-resistant silk-finish lacquer. Gives the floor a pleasant satin appearance and protects it against scratches. Recommended accessories: Polish Applicator.

**Wood & Cork Floor Polish mat** ■

Item number	Packaging	Units	Coverage per item*
21720750	750 ml	6	30 m ²
21120005	5 l		200 m ²

For the initial care treatment and refreshing of all sealed wood and cork floors treated with a water-resistant mat lacquer. Gives the floor a pleasant mat appearance and protects it against scratches. Recommended accessories: Polish Applicator. Now even better matt finish - for a natural look!

**Wood & Cork Floor Cleaner** ■

Item number	Packaging	Units	Coverage per item*
21120750	750 ml	6	750 m ²
21120005	5 l		5.000 m ²

For the regular cleaning of all wood and cork floors which have been provided with a water-resistant seal. Excellent grease and dirt lifting properties. Fulfills the conditions of DIN 18032 for sports floors.

**Wood Floor Deep Clean** ■ ■

Item number	Packaging	Units	Coverage per item*
21200750	750 ml	6	5 m ² (undiluted)
21200005	5 l		33,3 m ² (undiluted)

Gentle deep cleaner especially for wood to remove old residues from cleaning agents and polymer dispersion films on waterproof lacquered wood and cork floors. Also suitable for intensive cleaning of oiled and waxed floors.

CLEANING & CARE PRODUCTS FOR WOOD, LAMINATE AND CORK



Premium Care Oil for Wood Floors

Item number	Packaging	Units	Coverage per item*
01620001	1 l	4	50 m ²

Deeply penetrating care-oil on the basis of vegetable oils and carnauba wax. Refreshes dull, especially heavily used and intensively cleaned oil surfaces anew. Enhances wood grain. Good penetrating properties and high filling capacity. Satin-matt appearance.



H2Oil

Item number	Packaging	Units	Coverage per item*
21400750	750 ml	6	30 m ²
21400005	5 l		200 m ²

Water-based care oil on a natural basis for freshening up all oiled wood and cork floors. It makes the care of oiled floors very easy: simply apply H2Oil with a mop and that's all – no polishing necessary, no cleaning off remnants, either! The floor gains a high-quality silk-matt appearance and optimal protection.



H2Oil white

Item number	Packaging	Units	Coverage per item*
21410750	750 ml	6	30 m ²

Water-based (highly concentrated) care-oil with white pigment, naturebased for the refreshing of all white oiled wood and cork floors. Has all the features of H2Oil.



Wood Care for oiled floors

Item number	Packaging	Units	Coverage per item*
01800750	750 ml	6	375 m ²
01800005	5 l		2.500 m ²

Cleans and cares for all oiled and oiled/waxed wood and corkfloors in one step. Top cleaning power with an optimum pH level.



Wood Care for oiled floors white

Item number	Packaging	Units	Coverage per item*
01810750	750 ml	6	375 m ²

White pigmented version of Wood Care enables regular refreshing of white colored floors in the framework of daily cleaning.

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

CLEANING & CARE PRODUCTS FOR WOOD, LAMINATE AND CORK



Care set for oiled wood and cork floors ■

Item number	Packaging	Units	Coverage per item*
01802140		6	

The perfect Starter Set for newly laid floors for consumers. Consists of 1.5 litres of Wood care for oiled floors, 2x750ml H2Oil, as well as Padmaster with green Pad and care instructions for wood floor treatment according to DIN 18356 standard.



Laminate Cleaner ▲

Item number	Packaging	Units	Coverage per item*
22100750	750 ml	6	750 m ²
22100005	5 l		5.000 m ²

Mild neutral cleaning agent for the initial and regular cleaning of laminate floors. Removes dirt, fat, grease and shoe marks. Does not leave a residue. For EN 13329-defined laminate floor coverings and laminated surfaces (including kitchen and bathroom furniture). Specifically developed for all click-laminate floors.



Cleaning set for laminate floors ▲

Item number	Packaging	Units	Coverage per item*
22102220		9	

The set includes 1x750ml Laminate Cleaner, 1x200ml Elatex Universal stain remover and a white hand pad 12x26 cm.



Click Sealer ■ ■ ▲

Item number	Packaging	Units	Coverage per item*
22600250	250 ml	8	20-50 m ²

Ideal protection against swelling of laminate, pre-finished wood and sealed cork floors, as it reduces the risk of water and moisture entering the joints.



Spraymax ■ ■ ▲

Item number	Packaging	Units	Coverage per item*
11400001	1 l	5	50 m ²

Environment-friendly cleaner for all hard floors (PVC, lino, CV, Design floors, stone floors and all wood, cork and laminate floors) used in combination with our Spray-Mop. Also ideal for post-installation cleaning.

Care products | Please note our cleaning and care instructions

■ for sealed floors ■ for oiled floors ▲ for laminate

OUTDOOR CARE



Terrace Oil

Item number	Packaging	Units	Coverage per item*
10640001	1 l	4	10 m ²
10640025	2,5 l	2	25 m ²

Unpigmented deep impregnation based on natural oils for use outdoors. Good penetrating properties. The wood is protected against direct water absorption, while remaining open pored and breathable. Accentuates the structure and wood grain (or WPC). Slip resistance class R 10.



Bangkirai Oil

Item number	Packaging	Units	Coverage per item*
10630001	1 l	4	10 m ²
10630025	2,5 l	2	25 m ²

Transparent pigmented deep impregnation based on natural oil for use outdoors. Good penetrating properties. The wood is protected against direct water absorption, while remaining open-pored and breathable. High UV-protection due to pigmentation. Accentuates the structure and wood grain.



Intensive Cleaner for wood, WPC and stone, for outdoor use

Item number	Packaging	Units	Coverage per item*
21650750	750 ml	6	25 m ² (dilution 1:3)

Intensive cleaner for deposits left on stone, WPC and wood by weather conditions. Simply and effortlessly removes dirt and stains with a long-term effect. Flammable.



Outdoor Wood refresher

Item number	Packaging	Units	Coverage per item*
21500025	2,5 l	4	13 m ²

Intensive cleaning agent for all hardwood surfaces which have turned grey. Good adhesion and virtually non-drip. Quickly freshens up all wooden surfaces which have turned grey. Wood regains its natural colour. Harmful.

* Note on the consumption parameters: Reference points for normal circumstances, with strato 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

PRODUCTS FOR STONE & TILES



Stone Care

Item number	Packaging	Units	Coverage per item*
03170750	750 ml	6	750 m ²
03170010	10 l		10.000 m ²

For the cleaning and care of all stone and tile floors (marble, granite, brick, slate, flagstone, terracotta, terrazzo, glazed and unglazed tiles, etc.).



Inolit Active Powder

Item number	Packaging	Units	Coverage per item*
3210000124	1 kg	10	10-20 m ²

An acidic cleaning powder containing quartz-free abrasives for the cleaning of newly-laid floors and the basic cleaning of acid-resistant tiles and stone surfaces. Removes cement „clouding“, urinary stone, lime deposits (scale) and rust marks.

INTERIOR PRODUCTS



Universal Cleaner

Item number	Packaging	Units	Coverage per item*
08170750	750 ml	6	Depends on the dilution and on the intensity of the dirt
08170005	5 l		Depends on the dilution and on the intensity of the dirt

For the thorough and regular cleaning of all water resistant surfaces, e.g. in kitchen, bath, WC, as well as natural and artificial leather, metallic parts, windows, glass, mirrors, blinds and garden furniture. Removes greasy dirt, lime-soap, dirt of drinks and food. Ideal for household and home.



Textile Fresh

Item number	Packaging	Units	Coverage per item*
Color			
24110750	750 ml	6	15 loads
24110005	5 l		56 loads
White			
25110750	750 ml	6	15 loads
25110005	5 l		56 loads

An active detergent for the gentle treatment of colored or white curtains, bathroom textiles and bedding. Full cleaning power at temperatures as low as 30 -40°. Effectively removes dust, grease and nicotine. Textile fresh COLOR preserves the color, Textile fresh WHITE keeps white fabrics brilliant white.



eukula[®]
WOOD.FLOOR.LOVE

Discover eukula

- ❖ proven quality, new look
- ❖ unlimited flexibility
- ❖ maximum design variety
- ❖ naturally sustainable
- ❖ from professionals for professionals



Clean air.

The 100% solvent free oil and lacquer system
for wood and cork floors.



Your purchase. Your tree.

For every purchase of a promotional product*, we plant a tree in the Harz Mountains with PLANT-MY-TREE® and sponsor it for 99 years.

Learn more on eukula.com/en/plantmytree



*One tree is planted for each canister of eukula premium 37x and free 442, for each unit of eukula oil 1FS and 2+ FS and for each 4x1 l of eukula color oil FS in the campaign period 01.02. - 31.12.2023

Overview eukula lacquer system

	 Solvent-free Pure air	Standard Good & reliable	Pure lacquer One for all	Quick One day - Done
1.	 Prepare/sand surfaces according to the state of the art and the rules of the trade. Grout with fill 101 - grouting solution . It is important that the sanding pattern is as free of sanding marks as possible.			
	  *	 	 	
2a.	 classic prime 200 130 ml/m ² 2 hours drying time	 classic prime 200 130 ml/m ² 2 hours drying time	 easy 30x professional 31x 130 ml/m ² 2 hours drying time	 trowel prime 220 3-fold crosswise application ~ 90 ml/m ² 15 min. drying time
3a.	 premium 37x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	 easy 30x professional 31x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	 easy 30x professional 31x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	 extreme 47x 130 - 150 ml/m ² 6 hours until walkable
4a.	 Grit 120 - 150	 Grit 120 - 150	 Grit 120 - 150	 System completed for residential areas
5a.	 premium 37x 100 - 120 ml/m ² 4 - 6 hours until walkable	 easy 30x professional 31x 100 - 120 ml/m ² 4 - 6 hours until walkable	 easy 30x professional 31x 100 - 120 ml/m ² 4 - 6 hours until walkable	
				
		 	 	
2b.	 classic prime 200 130 ml/m ² 2 hours drying time	 classic prime 200 130 ml/m ² 2 hours drying time	 perform 46x extreme 47x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	 trowel prime 220 3-fold crosswise application ~ 90 ml/m ² 15 min. drying time
3b.	 free 442 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	 perform 46x extreme 47x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	 perform 46x extreme 47x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	 extreme 47x 120 ml/m ² can be sealed over after 2 - 3 hours
4b.	 Grit 120 - 150	 Grit 120 - 150	 Grit 120 - 150	generally not necessary
5b.	 free 442 100 - 120 ml/m ² 4 - 6 hours until walkable	 perform 46x extreme 47x 100 - 120 ml/m ² 4 - 6 hours until walkable	 perform 46x extreme 47x 100 - 120 ml/m ² 4 - 6 hours until walkable	 extreme 47x 120 ml/m ² 4 - 6 hours until walkable
	 Solvent- and isocyanate-free structure from filler to lacquer	 Standard structure with the known eukula quality	 Direct build-up without primer on parquet/wood floors that are glued down firmly to the floor"	 One-day set-up

More detailed information can be found on eukula.com in our current product information and our technical information sheets.

*Load capacity (👤 light, 👥 medium, 👥 strong/very strong, 👥 extremely strong)  solvent-free product



Find the best finish for your wooden floor

	Exotic woods The special one	Oil and lacquer Combining two worlds	Sport The sporty system	Raw wood Pure pleasure
1.	 Prepare/sand surfaces according to the state of the art and the rules of the trade. Grout with fill 101 - grouting solution . It is important that the sanding pattern is as free of sanding marks as possible.			
				
2a.	 exotic prime 201 130 ml/m ² 2 hours drying time	 oil 1 FS + master FS color oil FS + master FS ~ 50 ml/m ² 18 - 24 hours drying time	 classic prime 200 130 ml/m ² 2 hours drying time	 nature 484 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding
3a.	 easy 30x professional 31x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	 premium 37x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	 perform 46x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	
4a.	 Grit 120 - 150	not necessary	 Grit 120 - 150	 Grit 150
5a.	 easy 30x professional 31x 100 - 120 ml/m ² 4 - 6 hours until walkable	 premium 37x 100 - 120 ml/m ² 4 - 6 hours until walkable	 PU Line Color ~ 10 ml/rmt depending on lines. Can be lacquered over after 2h.	 nature 484 100 - 120 ml/m ² 4 - 6 hours until walkable
				
2b.	 exotic prime 201 130 ml/m ² 2 hours drying time	 oil 1 FS + master FS color oil FS + master FS ~ 50 ml/m ² 18 - 24 hours drying time	 perform 46x 100 ml/m ² 2 - 3 hours drying time	 nature 484 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding
3b.	 perform 46x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding	 perform 46x extreme 47x 100 - 120 ml/m ² 4 - 6 hours until intermediate sanding		
4b.	 Grit 120 - 150	generally not necessary	 perform 46x 100 ml/m ² 6 hours until walkable	 Grit 150
5b.	 perform 46x 100 - 120 ml/m ² 4 - 6 hours until walkable	 perform 46x extreme 47x 100 - 120 ml/m ² 4 - 6 hours until walkable		 2x nature 484 je 100 ml/m ² 4 hours until walkable
	 Special structure for „exotic“ woods	 Oil lacquer structure naturally warm or coloured, with the protection of a lacquer	 Certified sports floor structure in eukula quality	 Look and feel of raw wood

More detailed information can be found on eukula.com in our current product information and our technical information sheets.

Products water-based system

Fillers & primers



eukula fill 101 

Item number	Packaging	Units	Coverage per item*
0193000590	5 l		100 m ²

Joint filler binder. Water-based binder for the preparation of wood filler. Quick drying, good filling power, no darkening under oil, easy to use, free of solvents.



eukula powder fill 110 

Item number	Packaging	Units	Coverage per item*
0194000500	5 kg		100-150 m ²

Grouting filler powder, oak. Plaster-based grout powder for mixing with water. Solvent-free, pre-colored (oak), high filling capacity, no wood dust added. Manufactured on demand.



eukula classic prime 200  **NEW: solvent-free**

Item number	Packaging	Units	Coverage per item*
0101001090	10 l		60-80 m ²
0101000590	5 l		30-40 m ²

Primer for roller application. Water-based primer for all types of wood as well as cork floors. Warm coloring, strong barrier effect, reduces side bonding, suitable for underfloor heating, low in odour.



eukula exotic prime 201 

Item number	Packaging	Units	Coverage per item*
0099000524	5 l		30-40 m ²

Water-based lacquer primer with warm accentuation of the woods color. Roller primer for wood and cork floors. Especially recommended for priming on exotic wood species. Reduces side-bonding. Suitable for under-floor heated floors. Suitable under approved finishes easy 30x, professional 3lx, perform 46x.



eukula oil 1 FS 

Item number	Packaging	Units	Coverage per item*
0166002590	2,5 l	2	50-80 m ²
0166000190	1 l	4	20-30 m ²

Strongly accentuating oil primer in combination with euku master FS (on p. 36). Can be lacquered over with recommended lacquers. As a 2 part variation only for professional use.



eukula trowel prime 

Item number	Packaging	Units	Coverage per item*
0108000500	5 l		100 m ²

Primer sealer. For the application with spatula of the optimal primer for parquet and wood floors. Can be used as a lacquer primer for filling untreated wood, as well as a filler for an intermediate layer. Virtually odourless, reduces side gluing, suitable for under-floor heating, enhances the subsequent finish of applications.

* Note on the consumption parameters: Reference points for normal circumstances, with eukula 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.



Fillers & primers



eukula prime adds

	Item number	Packaging	Coverage per item*
eukula amber prime add	0119050024	500 ml	40 m ²
eukula frost prime add	0123050024	500 ml	40 m ²

Pigmenting process additives for applying primer to basically sanded wood and cork floors with eukula lacquers. Especially easy to apply. Extends the area of application of the eukula series. Can be used in all eukula primer applications. Additional UV-protection for the wood. Recommended mixing ratio 1:10. **eukula amber prime add:** Honeytoned pigmentation, warm coloration. Simulates strong color enhancement "like oiled" (oak). **eukula frost prime add:** Brightening pigmentation, cold coloration. Especially suitable for roller priming on floors made of light woods.

1 part water-based lacquers



eukula easy

	Item number	Packaging	Coverage per item*
eukula easy 301 satin	0129000590	5 l	15 m ²
eukula easy 302 mat	0128000590	5 l	15 m ²

One component water-based finish. Easy to use, for normally frequented areas, e.g. living areas. Low odour, easy to use, resistant against household chemicals.



eukula professional

	Item number	Packaging	Coverage per item*
eukula professional 311 satin	0138001090	10 l	30 m ²
	0138000590	5 l	15 m ²
eukula professional 312 mat	0139001090	10 l	30 m ²
	0139000590	5 l	15 m ²
eukula professional 313 ultrammat	0149000590	5 l	15 m ²

Premium one component water-based finish. Easy to use, for residential and light commercial areas. Easy to use, anti-slip R9, non-yellowing, low odour.



eukula premium

	Item number	Packaging	Coverage per item*
eukula premium 371 satin	0126000590	5 l	15 m ²
eukula premium 372 mat	0127001024	10 l	30 m ²
	0127000590	5 l	15 m ²
eukula premium 373 ultrammat NEW	0125000590	5 l	15 m ²

Special one component water-based finish. Extremely hard wearing 1-part PU finish. Good abrasion resistance, free of solvents, non-yellowing, easy to use.

Products water-based system

2 part water-based lacquers



eukula free 442 mat  **NEW**

Item number	Packaging	Units	Coverage per item*
0255000524	5l+500ml		16 m ²

Innovative water-based 2-part polyurethane on basis of carbodiimide crosslinking for the long-term protection of floors. Low emission, because it is solvent-free. No labelling obligation, because without isocyanate. Hard-wearing sealing film, excellent elasticity and good resistance against colourless chemicals. Easy application with good adhesion. For professional use only.



eukula perform 

	Item number	Packaging	Coverage per item*
eukula perform 461 satin	0274000590	5l+500ml	16 m ²
eukula perform 462 mat	0275000590	5l+500ml	16 m ²

Two component water-based finish. For heavily frequented areas, especially suitable for sport floors. Easy to use, non yellowing, ideal for sport floors, not susceptible to shoemarks. For professional use only.



eukula extreme 

	Item number	Packaging	Coverage per item*
eukula extreme 470 gloss	0297000590	5l+500ml	16 m ²
eukula extreme 471 satin	0296000590	5l+500ml	16 m ²
eukula extreme 472 mat	0298000590	5l+500ml	16 m ²
eukula extreme 473 ultramatt	0299000590	5l+500ml	16 m ²

Two component water-based PU finish. For extremely frequented areas. Low odour, extremely high abrasion resistance, easy to use, non yellowing. For professional use only.



eukula nature 484 

Item number	Packaging	Units	Coverage per item*
0262000590	5l+500ml		16 m ²

Two component water-based finish. For a natural appearance of the wood floor "like untreated". Directly applied without primer, high wear resistance for heavy duty use, especially low odor, easy to use. For professional use only.



eukula VIROBAC 491 

Item number	Packaging	Units	Coverage per item*
0345000590	5l+500ml +0,05l		45-55 m ²

Special water-based 3-part-polyurethane sealer. For sealing of primed wood and cork floors. Has an antibacterial (tested based on EN 13697) effect. For use after installation or renovation of floor coverings. For healthcare applications. Suitable for areas subject to heavy wear and mechanical stress. For professional use only.

* Note on the consumption parameters: Reference points for normal circumstances, with eukula 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.



Supplementary products for water-based lacquers



UV protect add

Item number	Packaging	Units	Coverage per item*
0080050024	500 ml		40 m ³

Optional system add-on for water-based lacquers. Has a protective effect against the effects of UV radiation and thus reduces the yellowing of wood. Recommended for light types of wood.



R10 Antislip Add

Item number	Packaging	Units	Coverage per item*
40020500	500 ml		110 m ²

Additive providing structure for increased slip-resistant safety. For Dr. Schutz and eukula water-based lacquers in the top-coat. Liquid compound for easy application. Effective in results. Slip-resistance class R10 according to BGR 181 and DIN 51130. VOC free.



R11 Antislip Add

Item number	Packaging	Units	Coverage per item*
40000440	440 g		110 m ²

Ceramic-based texturizing additive for Dr. Schutz and eukula water-based lacquers. By virtue of the resulting surface structure, the slip resistance of the floor is sustainably increased. Due to the round form of the grain, soiling is reduced despite increased structure. Slip resistance class C for wet-barefoot areas according to DIN 51097. Slip-resistance class R11 when used with Dr. Schutz and eukula 2-component lacquers (see list on the product under www.dr-schutz.com). Only for professional use. VOC free.

Only for trained and certified professionals

Also for parquet - UV 2-part-PU Sealer system – for immediate reoperation of the object



UV PU Sealer

	Item number	Packaging		
mat	50720005	5l+500ml		
satın	50690005	5l+500ml		

Special water-based Dual-Cure polyurethane sealer with UV and isocyanate cross-linking for the long-term protection of floors. Can be used directly after UV treatment. Reduces dirt adhesion and care time. Durable sealer film. Very good resistance against colorless chemicals. Please note: Only for professional use and for trained staff.



FLOORMATE UV3000 for rent

Item number	Packaging	Units		
8000010300				

For the UV curing of UV PU Sealer in the surface. Self-driving. Working width 40 cm. For trained users only.



HANDMATE UV600 for rent

Item number	Packaging	Units		
8000010400				

For hand-guided UV curing of UV PU Sealer in the edge area and stairs. For trained users only.

Only for trained and certified professionals

Renovating and designing wooden sport floors



Floor- and Sport Liner

Item number	Packaging	Units	Coverage per item*
8000000900			

The Floor and Sport Liner is a marking device for creating absolutely uniform and precise, decorative and technical masking work on the floor, such as sports floor lines, before colouring it with the floor remake system. Specially adapted to the Dr. Schutz ProTape 30mm. **Ideal for attractive floor designs in many areas such as daycare centers, schools, surgeries, nursing homes, hospitals etc.**



PU Line Color on demand

Product	Item number	Packaging
PU LINE COLOR YELLOW RAL 1012	5001101290	1kg + 0,09L
PU LINE COLOR WHITE RAL 1013	5001101390	1kg + 0,09L
PU LINE COLOR ORANGE RAL 2000	5001200090	1kg + 0,09L
PU LINE COLOR RED RAL 3000	5001300090	1kg + 0,09L
PU LINE COLOR BLUE RAL 5010	5001501090	1kg + 0,09L
PU LINE COLOR LIGHT BLUE RAL 5012	5001501290	1kg + 0,09L
PU LINE COLOR GREEN RAL 6016	5001601690	1kg + 0,09L
PU LINE COLOR LIGHT GREEN RAL 6018	5001601890	1kg + 0,09L
PU LINE COLOR BLACK RAL 9005	5001900590	1kg + 0,09L

For professional use only. Special water-based 2-part polyurethane sealer. For colours marking courts and fields. With reduced bleeding under marking tapes on sport floors and increased opacity for application with one coat.



PU Field Color on demand

Product	Item number	Packaging
PU FIELD COLOR YELLOW RAL 1012	5005101250	5,5kg + 0,5L
PU FIELD COLOR WHITE RAL 1013	5005101350	5,5kg + 0,5L
PU FIELD COLOR ORANGE RAL 2000	5005200050	5,5kg + 0,5L
PU FIELD COLOR RED RAL 3000	5005300050	5,5kg + 0,5L
PU FIELD COLOR BLUE RAL 5010	5005501050	5,5kg + 0,5L
PU FIELD COLOR LIGHT BLUE RAL 5012	5005501250	5,5kg + 0,5L
PU FIELD COLOR GREEN RAL 6016	5005601650	5,5kg + 0,5L
PU FIELD COLOR LIGHT GREEN RAL 6018	5005601850	5,5kg + 0,5L
PU FIELD COLOR BLACK RAL 9005	5005900550	5,5kg + 0,5L

For professional use only. Special water-based 2-part polyurethane sealer. For the full/solid colouring of floor areas. Ideal option in flow for opaque lacquer covering on sport courts and fields with a single application.



←
learn more about the
sport floor system



Solvent-based products



eukula H 99 A voc

Item number	Packaging	Units	Coverage per item*
0090001000	10 l		200 m ²

Alcohol based wood filler binding medium. For the manufacture of grouting material as a filler mass from sanding dust. Quick drying, can quickly be sanded, high filling properties, mild smell. Please note regulations in accordance with TRGS 617.



eukula G 200 A voc

Item number	Packaging	Units	Coverage per item*
0095000500	5 l		40-50 m ²

Alcohol based primer for wood, parquet and cork floors. Gives wood a warm color. Blocking primer against interaction with topcoats. Quick drying, reduces side bonding, for tropical woods. Please note regulations in accordance with TRGS 617.



eukula PU 551 satin voc

Item number	Packaging	Units	Coverage per item*
0009000500	5 l		50-60 m ²

Two-component polyurethane sealer in combination with PU550 hardener. Optimal resistance against chemical and mechanical influences. Virtually odourless after hardening. Please note: Always use with PU 550 hardener. As long as stock lasts.



eukula PU 550 Hardener voc

Item number	Packaging	Units	Coverage per item*
0010000500	5 l		

Hardener for PU 551. Mixture ratio 1:1. Only for professional use. As long as stock lasts.



eukula polish voc

Item number	Packaging	Units	Coverage per item*
2250000100	1 l	4	20-50 m ²

Hard wax care product. Solution of special hard waxes. Mild smell, easy to use, strong water repellent effect, strong cleaning effect.



Handball resin remover voc

Item number	Packaging	Units	Coverage per item*
01090025	2,5	2	

Mixture of mild solvents. For the cleaning of stains, resins, heel-marks, as well as the removal of wax films on wood floors and other solvent-fast surfaces. Especially suitable for removing resin residues on sport floors, whose subsurface can be damaged by alkaline cleaning solutions. Basic cleaner for floors that have been treated with care products containing wax (eukula polish, eukula refresher). Also suitable as a convenient thinner for diluting eukula oils and Premium Hardwax Oil, especially in a primer application on very absorbent woods.

* Note on the consumption parameters: Reference points for normal circumstances, with eukula 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.

Overview eukula oil system

	Oil Open purist	Oil-wax combination Bee lover	Oil with wax finish Silky gloss	Colour oil Play of colours
1.	 Prepare/sand surfaces according to the state of the art and the rules of the trade. Grout with fill 101 - grouting solution . It is important that the sanding pattern is as free of sanding marks as possible.			
2.	 Moisten the sanded floor (25-50 ml/m ² pure water). Spray on/wipe up - surface must be fully wetted once - wait for complete visible drying.			
2a.	 ALTERNATIVELY , the eukula conditioners can also be used for step 2 to create a special coloured effect. Wipe on - 16 hours drying time - build up with the desired impregnation system.			
	 With the following treatment methods floors are protected for medium- to heavy-traffic areas.			
3.	 oil 1 FS ~ 50 ml/m ² (until saturation) 18 - 24 hours	 oil 2+ FS ~ 50 ml/m ² (until saturation) 18 - 24 hours	 oil 1 FS ~ 50 ml/m ² (until saturation) 18 - 24 hours	 color oil FS ~ 50 ml/m ² 18 - 24 hours
4.	 Completely buff off/polish out excess with Normal Pad white or beige.			
5.	 care oil ~ 25 ml/m ² 18 - 24 hours until usable	 refresher refresher classic ~ 25 ml/m ² 18 - 24 hours until usable	 refresher refresher classic ~ 25 ml/m ² 18 - 24 hours until usable	 care oil ~ 25 ml/m ² 18 - 24 hours until usable
6.	 Completely buff off/polish out excess with Normal Pad white or beige.			
	 open-pored, natural and plant-based pure oil impregnation	 open-pored, natural plant-based oil-wax combination with bee and carnauba waxes	 open-pored, natural and plant-based pure oil impregnation with wax finish	 coloured, open-pored, natural and plant-based pure oil impregnation
	 To achieve maximum durability, add master FS to the oil systems in a mixing ratio of 10:1.			
More detailed information can be found on eukula.com in our current product information and our technical information sheets.				
*Load capacity ( light,  medium,  strong/very strong,  extremely strong) solvent-free product				

Products eukula oil system

Impregnating oils



eukula oil 1 FS

Item number	Packaging	Units	Coverage per item*
0166002590	2,5 l	2	50-80 m ²
0166000190	1 l	4	20-30 m ²

Strongly accentuating oil primer in combination with euku master FS (on p. 36). Can be lacquered over with recommended lacquers. As a 2 part variation only for professional use.



eukula oil 2+ FS

Item number	Packaging	Units	Coverage per item*
0167002590	2,5 l	2	50-80 m ²
0167000190	1 l	4	20-30 m ²

Oil wax combination. Combination for wood and cork floors in residential and commercial areas. Solvent-free, oiling and waxing in one step, water resistance, 100% VOC free, anti-slip R10 according to BGR 181. As 2-component variant only for professional use.



eukula master FS

Item number	Packaging	Units	Coverage per item*
0154025000	250 ml	2	50-80 m ²
0154010000	100 ml	4	20-30 m ²

Reactive coating. Brings eukula oil 1 FS, eukula 2 plus FS and eukula color oil FS to 2K oils of highest value. Solvent-free, improved oil hardening properties, improved surface consistency and resistance, improved pigment binding. Mixture ratio with the impregnating oils 1:10. Only for professional users.

* Note on the consumption parameters: Reference points for normal circumstances, with eukula 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.



Find the best structure for your wooden floor

	Color oil wax finish Coloured with topping	Colour oil - hard wax oil Art and film	Oil - hard wax oil Impregnating evenly	Hard wax oil Plant-based simple
1.	 Prepare/sand surfaces according to the state of the art and the rules of the trade. Grout with fill 101 - grouting solution . It is important that the sanding pattern is as free of sanding marks as possible.			
2.	 Moisten the sanded floor (25-50 ml/m ² pure water). Spray on/wipe up - surface must be fully wetted once - wait for complete visible drying.			
2a.	 ALTERNATIVELY , the eukula conditioners can also be used for step 2 to create a special coloured effect. Wipe on - 16 hours drying time - build up with the desired impregnation system.			
	 With the following treatment methods floors are protected for medium- to heavy-traffic areas.			
3.	 color oil FS ~ 50 ml/m ² 18 - 24 hours	 color oil FS + master FS ~ 50 ml/m ² 18 - 24 hours	 oil 1 FS + master FS ~ 50 ml/m ² (until saturation) 18 - 24 hours	 hardwax oil+ 50 - 60 ml/m ² 6 - 8 hours until second application
4.	 Completely buff off/polish out excess with Normal Pad white or beige.			 Intermediate sanding with 150 mesh or abrasive pad e.g. renovation pad possible
5.	 refresher refresher classic ~ 25 ml/m ² 18 - 24 hours until usable	 hardwax oil+ 60 - 80 ml/m ² 18 - 24 hours until usable	 hardwax oil+ 60 - 80 ml/m ² 18 - 24 hours until usable	 hardwax oil+ 50 - 60 ml/m ² 18 - 24 hours until usable
6.	 Completely buff off/polish out excess with Normal Pad white or beige.			
	 coloured, open-pored, natural and plant-based pure oil impregnation with wax finish	 coloured, plant-based, natural impregnation with the protection of an evenly film-forming hard wax oil	 natural, plant-based impregnation with the protection of an evenly film-forming hard wax oil	 more durable, plant-based and uniform film-forming hard wax oil structure
	 To achieve maximum durability, add master FS to the oil systems in a mixing ratio of 10:1. In the case of a hard wax oil build-up, we also recommend a further coat to increase the film thickness.			

More detailed information can be found on eukula.com in our current product information and our technical information sheets.

eukula color oil FS



A total of **40 additional colours** can be mixed from the **12 standard colours** of eukula colour oil. Only as order-related production.
Overview of the new colors:



	Item number	Packaging	Coverage per item*
eukula color oil FS white	0169000100	1 l	20-30 m ²
	0169800100	100 ml	2-3 m ²
eukula color oil FS pine	0169001500	1 l	20-30 m ²
	0169801500	100 ml	2-3 m ²
eukula color oil FS cherry	0169001600	1 l	20-30 m ²
	0169801600	100 ml	2-3 m ²
eukula color oil FS red	0169001700	1 l	20-30 m ²
	0169801700	100 ml	2-3 m ²
eukula color oil FS coffee	0169001800	1 l	20-30 m ²
	0169801800	100 ml	2-3 m ²
eukula color oil FS hazel	0169001900	1 l	20-30 m ²
	0169801900	100 ml	2-3 m ²
eukula color oil FS mahogany	0169002000	1 l	20-30 m ²
	0169802000	100 ml	2-3 m ²
eukula color oil FS ebony	0169002100	1 l	20-30 m ²
	0169802100	100 ml	2-3 m ²
eukula color oil FS light grey	0169002200	1 l	20-30 m ²
	0169802200	100 ml	2-3 m ²
eukula color oil FS black	0169002300	1 l	20-30 m ²
	0169802300	100 ml	2-3 m ²
eukula color oil FS blue	0169002400	1 l	20-30 m ²
	0169802400	100 ml	2-3 m ²
eukula color oil FS green	0169002500	1 l	20-30 m ²
	0169802500	100 ml	2-3 m ²

Pigmented full solid impregnation based on natural oils. Easy to use, without layer buildup, natural open pore characteristic. Sealable with eukula 2 part water-based lacquers. Further 40 colours as order-related production.

Products eukula oil system

Lyes for wooden floors



eukula classic lye conditioner

Item number	Packaging	Units	Coverage per item*
0251000124	1 l	4	10-12 m ²

Classic Scandinavian pre-treatment of coniferous woods before oiling. Deep honey-tone with accentuation of the heartwood, reduces photo-ageing, easy to apply, free of solvents. For professional use only.



eukula oak antique conditioner

Item number	Packaging	Units	Coverage per item*
0252000124	1 l	4	10-12 m ²

Lye for woods containing tannic acid. Pre-treatment before oiling in order to achieve an antique effect. Intensification of the colour tone of oak, easy to apply, even effect, free of solvents. For professional use only.



eukula oak iron conditioner

Item number	Packaging	Units	Coverage per item*
0253000124	1 l	4	10-12 m ²

Lye for woods containing tannic acid. Pre-treatment before oiling in order to blacken the tannic acid. Colour effect similar to smoky, easy to apply, free of solvents. For professional use only.

Hard wax oils and supplementary products



eukula hardwax oil+

	Item number	Packaging	Units	Coverage per item*
eukula hardwax oil+ satin	0153000590	5 l		50 m ²
	0153002590	2,5 l	2	25 m ²
	0153000150	1 l	4	10 m ²
eukula hardwax oil+ ultramatt	0152000590	5 l		50 m ²
	0152002590	2,5 l	2	25 m ²
	0152000150	1 l	4	10 m ²

Layer-forming oil based on vegetable oils for easy care surfaces with a natural appearance. Increased water resistance. Dries to a natural matt finish. Easy to apply with a roller. Quick-drying. Good penetration properties, elastic film. Enhances the wood grain, warm color effect. In optional combination with eukula hardwax nature add the grain enhancement is reduced and the color effect achieved is „like untreated“. Ideal in optional combination with the reactive finish eukula master FS, to achieve an especially tough surface and quick drying (e.g. for heavily frequented areas). The oiled surface conforms to the slip-resistance class R9. In combination with the optional product eukula hardwax antislip R10 add the slip-resistance class R10 can be achieved. As 2-component variant only for professional use.

eukula master FS

Item number	Packaging	Units	Coverage per item*
0154025000	250 ml	2	25 m ²
0154010000	100 ml	4	10 m ²

Reactive coating. Brings eukula oil 1 FS, eukula 2 plus FS and eukula color oil FS to 2K oils of highest value. Solvent-free, improved oil hardening properties, improved surface consistency and resistance, improved pigment binding. Mixture ratio with hardwax oil+ 1:10. Only for professional users.

* Note on the consumption parameters: Reference points for normal circumstances, with eukula 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.



Hard wax oils and supplementary products



eukula hardwax antislip add R10

Item number	Packaging	Units	Coverage per item*
0259025000	250 ml		50 m ²

Optional system component for adding to eukula hardwax oil+. Structuring additive for increasing anti-slip safety. Mixture ratio 1:10. Liquid preparation for simplified application. Effective results, slip resistance class R10 according to BGR 181 and DIN 51130.



eukula hardwax nature add

Item number	Packaging	Units	Coverage per item*
0258025000	250 ml		50 m ²

Optional system component for adding to eukula hardwax oil+. Additive reduces grain enhancement, for an appearance which looks „like untreated“, effective results. Mixture ratio 1:10. Liquid preparation for simplified application.

Cleaning and care products for wood and cork



eukula care satin

Item number	Packaging	Units	Coverage per item*
2173000500	5 l		150 m ²
2173000100	1 l	4	30 m ²

Satin polish. For the care and visual freshening up of sealed wood and cork floors, PVC and linoleum. Protects the floor from damage and the wood against water. Ready to use, water-based, wipe-proof. Fulfills the requirements of German norm DIN 18 032 for sports floors.



eukula care mat ⁽¹⁾

Item number	Packaging	Units	Coverage per item*
2174000500	5 l		150 m ²
2174000100	1 l	4	30 m ²

Mat version of eukula care for matt sealed floors. Also for mat hardwax-oiled wood and cork floors.



eukula clean ⁽¹⁾

Item number	Packaging	Units	Coverage per item*
2113000500	5 l		5.000 m ²
2113000100	1 l	4	1.000 m ²

For day-to-day cleaning of all floors and the cleaning of other surfaces, also post-installation cleaning. Effective cleaning concentrate, for cleaning sealed floors.



eukula intensiv cleaner

Item number	Packaging	Units	Coverage per item*
2122000100	1 l	4	15 m ²

Intensive cleaner. For the removal of all remnants of mopped care-products and polymer-dispersion films on wood and cork floors. Removes stains and heel marks.

Care products | Please note our cleaning and care instructions:
 sealed floors  oiled-impregnated floors  hardwax-oiled floors

Note: for hardwax oiled floors  you can choose between the water-based **(1)** and oil-based care **(2)** systems.

Cleaning and care products for wood and cork



eukula professional remover **NEW**

Item number	Packaging	Units	Coverage per item*
2123000524	5 l		250 m ²

Gentle strip cleaner with strong dissolving power and low alkalinity preventive to sensitive materials, for the removal of waxes, mopped care products, care films, as well as glue residues and building dirt for post-construction cleaning. For professional use only.

eukula care oil



Item number	Packaging	Units	Coverage per item*
0159002590	2,5 l	2	50-75 m ²
0159000100	1 l	4	20-30 m ²

Natural maintenance for oiled floors. Follow-up impregnation based on natural oils and waxes for the care treatment of floors in private residences and public buildings. Excellent cleaning power, replenishes natural fats, leaves no residue or film, mild smelling.

eukula refresher



Item number	Packaging	Units	Coverage per item*
0183002590	2,5 l	2	50-75 m ²
0183000100	1 l	4	20-30 m ²

Aftercare. Follow-up impregnation based on natural oils and waxes for the care treatment of floors in private residences and public buildings. For maintaining the natural surface, optimises the durability, can be repaired spot-wise, water resistance

eukula refresher classic ⁽²⁾



Item number	Packaging	Units	Coverage per item*
2240002590	2,5 l	2	100 m ²
2240000100	1 l	4	40 m ²

Deeply effective care-oil on the basis of resins, vegetable oils and carnauba wax. For impregnated-oiled and hard-wax oiled surfaces. Refreshes dull, especially stressed and intensively cleaned oil surfaces anew. Good penetrive and high filling properties. Satin appearance. Enhances the wood grain. Optimizes durability. For spot-cleaning and touching up. Classic filling effect „like in the past“

eukula refresher classic white



Item number	Packaging	Units	Coverage per item*
2241000100	1 l	4	20-30 m ²

Refresher for white oiled floors. Other properties like euku refresher classic

* Note on the consumption parameters: Reference points for normal circumstances, with eukula 3-fold lacquer application without primer. Different parameters are possible depending on the property and use. For detailed information, please refer to the product information.



eukula care emulsion ⁽²⁾

Item number	Packaging	Units	Coverage per item*
0182002590	2,5 l	4	375 m ²
0182000100	1 l	4	150 m ²

Soap cleaner. Concentrate for the mopping and day-to-day cleaning of impregnated-oiled surfaces. Excellent cleaning power, high replenishment of natural oils, leaves no residue or film, mild smelling. Gentle on the skin.



eukula care emulsion white ⁽²⁾

Item number	Packaging	Units	Coverage per item*
0187000190	1 l	4	150 m ²

For white oiled floors. Has all the features of eukula care emulsion.



eukula H2Oil care **NEW**

Item number	Packaging	Units	Coverage per item*
2118000500	5 l		200 m ²
2118000100	1 l	4	40 m ²

Water-based care product based on natural oils for freshening up all oiled wood and cork floors. It makes the care of oiled floors very easy: simply apply eukula H2Oil care with a mop and that's all – no polishing necessary, no cleaning off remnants, either! The floor gains a high-quality silk-matt appearance and optimal protection.

eukula cleaning and care instructions according do DIN 18356 / 18365 **NEW**



eukula cleaning and care instruction **for lacquered wood and cork floors**

Item number:
6000642201



eukula cleaning and care instruction **for impregnated-oiled wood and cork floors**

Item number:
6000642301



eukula cleaning and care instruction **for hard wax-oiled wood and cork floors**

Item number:
6000642401



You can also find our eukula cleaning and care instructions online at: www.eukula.com/en/care-instructions/

So you can send them digitally in an environmentally friendly way!

A digitally sent care instruction does not turn a tree into paper!

Care products | Please note our cleaning and care instructions:
 sealed floors oiled-impregnated floors hardwax-oiled floors

Note: for hardwax oiled floors you can choose between the water-based **(1)** and oil-based care **(2)** systems.

SHOW YOUR WOOD.FLOOR.LOVE **NEW**

 fair produced

eukula T-Shirt

High quality T-shirt made of 100% organic cotton. High quality flex print on both sides.



Size S = Item no.: 6000190101
 Size M = Item no.: 6000190201
 Size L = Item no.: 6000190301
 Size XL = Item no.: 6000190401
 Size XXL = Item no.: 6000193001
 Size 3XL = Item no.: 6000193201

 fair produced

eukula sweat jacket

High quality sweat jacket made from 85% organic cotton and 15% recycled polyester. High quality flex print on both sides.



Size S = Item no.: 6000190501
 Size M = Item no.: 6000190601
 Size L = Item no.: 6000190701
 Size XL = Item no.: 6000190801
 Size XXL = Item no.: 6000193101
 Size 3XL = Item no.: 6000193301

eukula snapback cap

Snapback cap size adjustable with logo embroidery, made of 100% cotton.



Item no.: 6000190900

 Bucket > 95% recycled

eukula multifunctional bucket

Stable and durable multi-functional bucket for mixing, transport and storage. More information on page 52.



Item no.: 8398001700

 100% recycled case

eukula ballpoint pen

black matt



Item no.: 6000191000

eukula pencil

black matt




Item no.: 6000191100

SHARE YOUR

#WOODFLOORLOVE

www.eukula.com |  eukula_de





CLEANING APPLIANCES AND ACCESSORIES

PERFECT PREPARATION OF FLOORS

■ System-relevant preparation measure ■ First recommendation for best results ■ Second recommendation

	Linoleum ³		LVT, PVC smooth floors (heterogenous/ homogenous)		Rubber smooth floors		Rubber structured floors e.g. studded		LVT, PVC structured floors (heterogenous/ homogenous)		Wood floors raw		Wood floors lacquered/ coated		Wood floors oiled/ waxed		All Floor coverings deep and very fine structures ⁷	
Strip-cleaning regular	Grit-brush green	Superpad green ⁸	Grit-brush green	Superpad green ⁸	Grit-brush green	Superpad green ⁸	Grit-brush green	Superpad green ⁸	Grit-brush green	Superpad green ⁸			Superpad green	Superpad red ⁸	Superpad green	Superpad red ⁸	Grit-brush red	Grit-brush green
Strip-cleaning thick an hard care product layers	Grit-brush black	Superpad green ^{8,9}	Grit-brush black	Superpad green ^{8,9}	Grit-brush black	Superpad green ^{8,9}	Grit-brush black	Superpad green ^{8,9}	Grit-brush black	Superpad green ^{8,9}								
Day-to-day Cleaning	Superpad red ⁸		Superpad red ⁸		Superpad red ⁸		Grit-brush red		Grit-brush red				Superpad red		Superpad red		Grit-brush red	Superpad red ⁸
Cleaning by Machine	Superpad red ⁸		Superpad red ⁸		Superpad red ⁸		Grit-brush red		Grit-brush red				Superpad red		Superpad red		Grit-brush red	Superpad red ⁸
Spray-Cleaning	Superpad red ⁸		Superpad red ⁸		Superpad red ⁸		Polishing brush	Superpad red ⁸	Polishing brush	Superpad red			Superpad red		Superpad red		Polishing brush	Superpad red ⁸
Polishing	Superpad white ⁶		Superpad white ⁶		Superpad white ⁶		Polishing brush	Superpad red ⁸	Polishing brush	Superpad red			Superpad white		Superpad white		Polishing brush	Superpad red ⁸
Neutralization / Rinsing with raw, untreated surface	Superpad green ⁶		Abranet Ace ⁶		Abranet Ace ⁶		Abranet Ace ⁶	Abranopp extreme	Abranopp extreme									
Neutralization sanding/ Sanding back before Ontop coating with PU / factory-applied PU floors	Abranet Ace ⁶		Abranet Ace ⁶		Abranet Ace ⁶		Abranopp extreme	Abranopp extreme	Abranopp extreme				Abranet Ace ¹ + Interface-pad					
Sanding between lacquer coats																		
Fine sanded finish												Abranet Ace ^{1,2} + Interface-pad						
Working in oils/waxes															Normal- pad beige	Superpad green ⁸ + Superpad white ⁸		

¹Sanding grain should be chosen according to its purpose, e.g. grain 120 for sanding between coats of lacquer.

²With the Dr. Schutz Satellite-disc for best surfaces.

³In principle, linoleum must always be tested beforehand to ensure its colour-fast retention in an inconspicuous spot, in order to eliminate any possibility of discoloration through using abrasive materials and brushes.

⁴In the case of homogenous floors, for example with badly scratched surfaces, pre-sanding with grain 80 or 120 can significantly improve the surface texture again, and remove or diminish scratches. Here the best re-

sults can be achieved with the Dr. Schutz Satellite-disc. With this method the finishing touch must always be carried out with 150 abrasive grain. No grade of grain should be omitted. The sanded look must be judged by a professional specialist at the end of the sanding work.

⁵In the case of stubborn and thick layers and when removing defective permanent coatings, the High Performance Pad can be used. Beforehand it is absolutely necessary to test whether the floor is suitable for such extreme treatment. If used wrongly this can lead to irreversible damage to the floors affected.

⁶If you do not want to sand back the linoleum, or if it is not possible without discoloration, then after strip-cleaning and neutralization, the final coating to be applied should be exclusively with a conventional hard sealer, e.g. Secura, which is recommended.

⁷For floors such as brushed parquet, deep joints/V-joints, LVT with accentuated stripes, etc.

⁸Quality reference Dr. Schutz HQ Superpads. No guarantee for third-party products.

Without exception the respective Product Information must be heeded, as well as taking into account the special Technical Information relating to the topic in question.

ABRASIVE MATERIALS/ABRASIVE PADS



Abranet Ace

Product	Item number	Units	Description
Abranet Ace Ø 406 mm, grain 80	8000927900	1	System relevant sanding materials for the preparation of floors WITHOUT surface structure before the application of PU Sealer products. Ceramic high performance sanding material with extra long service life. For use during the neutralisation phase with water. Also ideally suitable for fine sanding of raw wood and interim sanding between lacquer coats on wood floors. Clean sanded image with very slight roughness depth. In combination with the Interface-pad even better results. Can be used with commercially available hard pads. Also especially suitable for very hard surfaces, as well as for sophisticated sanding work.
Abranet Ace Ø 406 mm, grain 120	8000928000	1	
Abranet Ace Ø 406 mm, grain 150	8000928100	1	
Abranet Ace Ø 150 mm, grain 80	8000928200	8	
Abranet Ace Ø 150 mm, grain 120	8000928300	8	
Abranet Ace Ø 150 mm, grain 150	8000928400	8	
Abranet Ace 485 x 335 mm grain 80	8000932300	1	
Abranet Ace 485 x 335 mm grain 120	8000932400	1	
Abranet Ace 485 x 335 mm grain 150	8000932500	1	
Abranet Ace 340 x 190 mm grain 80	8000932000	1	
Abranet Ace 340 x 190 mm grain 120	8000932100	1	
Abranet Ace 340 x 190 mm grain 150	8000932200	1	
Abranet Ace 70 x 198 mm, grain 80	8000928600	8	
Abranet Ace 70 x 198 mm, grain 120	8000928700	8	
Abranet Ace 70 x 198 mm, grain 150	8000928800	8	
Abranet Ace HD Ø 150 mm, grain 40	8000929900	1	Abranet ACE HD with ceramic grain is long-lasting, robustly resistant and entirely suitable for the coarse sanding of many different surfaces. The reinforced mesh material of the HD series guarantees even higher hard-wearing strength, compared with Abranet ACE, and is resistant against tearing even in the hardest applications.
Abranet Ace HD Ø 150 mm, grain 60	8000931000	1	



Abranopp

Product	Item number	Units	Description
Abranopp Ø 406 mm extreme	8000926100	1	System relevant sanding materials for the preparation of floors WITH surface structure before the application of PU Sealer products. Especially suitable for studded floors. Highly abrasive, but never the less gentle on the surface. Special sanding grain mixture for the safest results. To be used during the neutralization phase with water. Service life of up to 150 m ² (depending on floor and surface finish). Can be used on all commercially available pad-machines.
Abranopp Ø 150 mm extreme	8000926200	5	
Abranopp 485 x 335 mm	8000926700	1	
Abranopp 340 x 190 mm	8000926600	1	
Abranopp 70 x 198 mm extreme	8000926300	4	

Cleaning appliances and accessories

GRIT BRUSHES

Sockets for further machines available. You can find a precise list under www.dr-schutz.com/grit-brushes.



Grit brushes

Product	Item number	Units	Description
Socket: SRP1/Numatic/ Cleanfix			
with Grit brush black	8000981000	1	Higher flexibility as well as a pronounced high-deep arrangement of the bristles ensure a better removal rate, especially with structured floors. Angled bristles make it possible to work close to the edge. A "water ring" with drainage holes in the brush plate ensures even better water distribution when working with tank systems. Grit brush black: Coarse-bristled cleaning brush with abrasive grit with aggressive abrasion behaviour for removing particularly stubborn old coatings during strip cleaning.
with Grit brush green	8000982000	1	
with Grit brush red	8000983000	1	
Socket: Sorma			
with Grit brush black	8000981020	1	Grit brush green: Universal strip cleaning brush with abrasive grit for the safe removal of old care product layers on smooth and structured floors. Fast action, long service life, no clogging as with cleaning pads. Grit brush red: Fine-bristled cleaning brush with abrasive grain for deep structures in floors. Thanks to coordinated flexible bristles, the brush can also achieve finer and deeper structures. Please check whether your single disc machine has the required working width. Our brushes have a diameter of 406 mm! Please also compare the type designation of your machine with our adapter list.
with Grit brush green	8000982020	1	
with Grit brush red	8000983020	1	

Socket: Columbus (only 405 mm diameter)

with Grit brush black	8000981030	1	Higher flexibility as well as a pronounced high-deep arrangement of the bristles ensure a better removal rate, especially with structured floors. Angled bristles make it possible to work close to the edge. A "water ring" with drainage holes in the brush plate ensures even better water distribution when working with tank systems. Grit brush black: Coarse-bristled cleaning brush with abrasive grit with aggressive abrasion behaviour for removing particularly stubborn old coatings during strip cleaning. Grit brush green: Universal strip cleaning brush with abrasive grit for the safe removal of old care product layers on smooth and structured floors. Fast action, long service life, no clogging as with cleaning pads. Grit brush red: Fine-bristled cleaning brush with abrasive grain for deep structures in floors. Thanks to coordinated flexible bristles, the brush can also achieve finer and deeper structures. Please check whether your single disc machine has the required working width. Our brushes have a diameter of 406 mm! Please also compare the type designation of your machine with our adapter list.
with Grit brush green	8000982030	1	
with Grit brush red	8000983030	1	
Socket: Wirbel/Wolff			
with Grit brush black	8000981050	1	Higher flexibility as well as a pronounced high-deep arrangement of the bristles ensure a better removal rate, especially with structured floors. Angled bristles make it possible to work close to the edge. A "water ring" with drainage holes in the brush plate ensures even better water distribution when working with tank systems. Grit brush black: Coarse-bristled cleaning brush with abrasive grit with aggressive abrasion behaviour for removing particularly stubborn old coatings during strip cleaning. Grit brush green: Universal strip cleaning brush with abrasive grit for the safe removal of old care product layers on smooth and structured floors. Fast action, long service life, no clogging as with cleaning pads. Grit brush red: Fine-bristled cleaning brush with abrasive grain for deep structures in floors. Thanks to coordinated flexible bristles, the brush can also achieve finer and deeper structures. Please check whether your single disc machine has the required working width. Our brushes have a diameter of 406 mm! Please also compare the type designation of your machine with our adapter list.
with Grit brush green, grain 120	8000982050	1	
with Grit brush red	8000983050	1	
Socket: WETROK			
with Grit brush black	8000981070	1	Higher flexibility as well as a pronounced high-deep arrangement of the bristles ensure a better removal rate, especially with structured floors. Angled bristles make it possible to work close to the edge. A "water ring" with drainage holes in the brush plate ensures even better water distribution when working with tank systems. Grit brush black: Coarse-bristled cleaning brush with abrasive grit with aggressive abrasion behaviour for removing particularly stubborn old coatings during strip cleaning. Grit brush green: Universal strip cleaning brush with abrasive grit for the safe removal of old care product layers on smooth and structured floors. Fast action, long service life, no clogging as with cleaning pads. Grit brush red: Fine-bristled cleaning brush with abrasive grain for deep structures in floors. Thanks to coordinated flexible bristles, the brush can also achieve finer and deeper structures. Please check whether your single disc machine has the required working width. Our brushes have a diameter of 406 mm! Please also compare the type designation of your machine with our adapter list.
with Grit brush green, grain 120	8000982070	1	
with Grit brush red	8000983070	1	

MACHINERY AND ACCESSORIES FOR PREPARING AND CLEANING FLOORS BEFORE COATING



Monodisc SRP1

Product	Item number	Units	Description
SRP 1	8000915100	1	A multi-functional, robust monodisc appliance. For cleaning of newly-laid floors, intermediate, basic and spray cleaning of all hard floors. For shampooing of synthetic and natural fibre textile floor coverings (sisal). Also suitable for the sanding of wooden floors and for the grinding of cast plaster flooring. Technical data: Power consumption: 1.500 W, Tension: 230 V, Revolutions: 150 rev./min, Cable length: 12 m, Brush diameter: 450 mm, Pad diameter: 400 mm, Weight: 30 kg, CE approved.
Tank	8000915200	1	
Driving Disc Plate	8000916800	1	
Sanding Plate	8000916200	1	
Polishing brush	8000915400	1	
Suctionring / spray shield	85401001139	1	
Vacuum	8000916100	1	
Fleece filter bags (SRP1)	8000996200	10	

MACHINERY AND ACCESSORIES FOR PREPARING AND CLEANING FLOORS BEFORE COATING

**TG1 Turbo drier**

Product	Item number	Units	Description
TG1 Turbo drier	8000010100	1	High quality fan as ideal support for significantly shortening drying time. Due to its flexible base can be set in every direction. Technical data: Total power: max. 125 W; Supply voltage: 220-240 V; Weight: 9 kg; Frame size: 69 x 20 x 67 cm; Volume flow rate: max. 6.600 m ³ /h; Rpm: max. 1.400 UpM.

**PS27 Power suction machine**

Product	Item number	Units	Description
PS27 Power suction machine	8000010200	1	Ideal professional machine for suction removal of water and soiled solutions. High suction power with 25 l extracted volume. Its stainless steel cylinder is very robust and ideally suitable for daily use. Technical data: Total power: max. 1.150 W, Weight: 10,4 kg, Useable volume: 25 l, Cable length: 10 m, Vacuum pressure: 1.190 mbar.
PS27 Suction set 450	8000909500	1	The set includes a wider, height-adjustable wet suction nozzle with a total width of 45 cm and a longer, segmentable suction tube.
PS 27 spiral hose	85101001041	1 mtr	Spiral hose for PS27, by the meter (without connecting piece). We recommend not to exceed the maximum hose length of 5 meters. The connector from the original hose can be used.

SATELLITE DISC

Sockets for further machines available. You can find a precise list under www.dr-schutz.com/satellite-disc. You can find a precise list under www.dr-schutz.com/satellite-disc.

**Satellite disc**

Product	Item number	Units	Description
Socket: SRP1/Numatic/Cleanfix	8000972200	1	Satellite sanding disc with four individually rotating satellite discs fastened by velcro with 150 mm diameter for fine sanding on parquet and wood floors, as well as for working on the surface of suitable resilient floors, e.g. smooth, homogenous PVC floors. The protective covers supplied with the implement are to protect the actual velcro fasteners from dirt and early wear, and can be replaced at any time. The perfect combination with Abranet sanding materials. Please check the diameter of your monodisc machine. Complete working width satellite plate: 406 mm diameter.
Socket: Sorma	8000972220	1	
Socket: Columbus (only 405 mm diameter)	8000972230	1	
Socket: Wirbel/Wolff	8000972250	1	
Socket: WETROK	8000972270	1	
Protective covering 150 mm	8000928900	5	Protective covering for satellite disc

Cleaning appliances and accessories

ABRASIVE MATERIALS/ABRASIVE PADS



Handblock

Product	Item number	Units	Description
Handblock 70 x 198 mm	8000928500	1	Hand-block with vacuum suction for Abranet and Abranopp 70x198mm for corner and edge areas.



High Performance Pad

Product	Item number	Units	Description
High Performance Pad Ø 410 mm	8000913500	1	Aggressive sanding pad with corundum edge and open fleece structure. Especially suitable for the coarse removal of hard-to-remove layers. Strong sanding grooves with prominent opening of the surface.



Interface Pad

Product	Item number	Units	Description
Interface Pad Ø 410 mm	8000926400	1	Adapter-pad with velcro for the best sanding results with Abranet ACE. Even better improved sanded look. Has a muting effect for the kind treatment of surfaces, including uneven surfaces. Can be used with every commercially available hedgehogpad- holder. For hard applications, for example on raw, resilient floors, such as linoleum. Thanks to its perforations, it is also ideally suitable for machines with a vacuum-cleaner attachment.
Interface Pad Ø 150 mm	8000926500	4	
Interface Pad 485 x 335 mm	8000932700	1	
Interface Pad 340 x 190 mm	8000932600	1	



PU Renovation pad

Product	Item number	Units	Description
PU Renovation pad grey Ø 430mm	8000913000	1	Sanding pad with fine corundum coating. For abrading surfaces before applying PU Sealer products. Abranet and Abranopp have been our first recommendation since 2017.

ABRASIVE MATERIALS/ABRASIVE PADS



'High Quality' Superpads

Product	Item number	Units	Description
			Superpads in 'High Quality' for a higher and even performance over the entire pad surface as well as a longer service life. Thickness: 20 mm.
HQ-Superpad white Ø 410 mm	8000917100	5	Polishing pad for resilient floors, for upkeep oiling & color oiling of wood floors.
HQ-Superpad red Ø 410 mm	8000917200	5	Cleaner pad for resilient floors. For cleaning before applying care products by mopping.
HQ-Superpad green Ø 410 mm	8000917300	5	Strip cleaning and finishing pad for hard floors insensitive to mechanical cleaning, before applying care films.

ABRASIVE MATERIALS/ABRASIVE PADS

**Pads**

Product	Item number	Units	Description
			Pads for an economic performance and service life. Thickness = 10 mm.
Pad beige Ø 410 mm	8000919500	10	eukula oil-pad for polishing out eukula oils.
Pad white Ø 410 mm	8000914400	10	soft pad for polishings and upkeep oiling of wood floors.
Pad red Ø 410 mm	8000914500	10	low-abrasive cleaner pad for machine cleaning without final care treatment.
Pad green Ø 410 mm	8000915700	10	mediumhard pad for strip cleaning and finishing, before applying care-film.
Pad black Ø 410 mm	8000915800	10	hard abrasive pad for increased sanding effect in cleaning processes.

**Sanding screen**

Product	Item number	Units	Description
Sanding screen 60 grit Ø 410 mm	8000915900	10	
Sanding screen 80 grit Ø 410 mm	8000925700	10	
Sanding screen 100 grit Ø 410 mm	8000925800	10	
Sanding screen 120 grit Ø 410 mm	8000925900	10	

CLEANING APPLIANCES

**Padmaster System**

Product	Item number	Units	Description
Padmaster holder with joint for universal handle	8000930500	1	Pad green: For easy removal of wax and other coatings on smaller areas, as well as in corners and edges. Pad white: Non-scratch pad for the easy removal of stubborn stains, heel marks, the remains of glue and adhesive, and much more. Pad grey: For roughening surfaces with factory-applied PU finishes, in corners and edge, before the application of PU Sealer products.
Universal aluminium handle 140cm	8000924400	1	
Padmaster with handle	8000931100	1	
Pad green 12x26x0,8cm	8000930600	10	
Pad white 12x26x0,8cm	8000930700	10	
Pad grey 12x26x0,8cm	8000930100	5	

**Professional mop system**

Product	Item number	Units	Description
			Professional system for initial cleaning and care, as well as upkeep cleaning of hard floors.
Universal aluminium handle 140cm	8000924400	1	
Holder	8000924500	1	
Cotton mop 40cm	8000924700	1	For the simple application of polishes and hard sealers and for the economical upkeep cleaning of floors which were initially protected by polishes or hard sealers.
Micro-fibre mop 40cm	8000924600	1	For the optimal upkeep cleaning of PU coated floor coverings.

Cleaning appliances and accessories

CLEANING APPLIANCES



Polish Applicator PRO

Product	Item number	Units	Description
Polish Applicator PRO- Holder 40 cm incl. telescopic pole	8000920100	1	For the simple application of polishes and hard sealers in a professional way, on resilient floor coverings, as well as on wooden and cork coverings in households and small size projects.
Polish Applicator PRO- Holder 40 cm	8000920200	1	Polish Applicator holder (40 cm) incl. handle.
Polish Applicator PRO - Cover	8000920300	1	Wischwiesel PRO Cover with Velcro fastener.
Polish Applicator PRO - Telescopic pole	8000920400	1	Telescopic pole 100-160 cm.

SPRAY MOP



Spray Mop

Product	Item number	Units	Description
Spray Mop	8000114501	12	Contents: cleaning appliance with mop. Ideal cleaning appliance for the daily cleaning of all hard floors, such as PVC & LVT, linoleum, stone floors and all types of wood, cork and laminate floors. By simply operating the spray-lever, this results in mopping the floor by slight moistening. In this way moisture-sensitive floors can also be easily and simply cleaned. Also suitable for cleaning following installation. Please note: use our product Spraymax exclusively to avoid damage to the SprayMop and the floor.
Spray Mop Set Contents: Spray Mop, cover, Spraymax	8000114000	4	Contents: cleaning appliance with mop and one 1l bottle of Spraymax for filling up the tank. Ideal cleaning appliance for the daily cleaning of all hard floors, such as PVC & LVT, linoleum, stone floors and all types of wood, cork and laminate floors. By simply operating the spray-lever, this results in mopping the floor by slight moistening. In this way moisture-sensitive floors can also be easily and simply cleaned. Also suitable for cleaning following installation. Please note: use our product Spraymax exclusively to avoid damage to the SprayMop and the floor.
Spray Mop Cover	8000114100	1	Cover for the Spray Mop.

APPLICATION SYSTEMS

**Rollers**

Product	Item number	Units	Description
Super PU Roller 25 cm	8000922800	1	Specially developed for the application of Super PU Sealer (approx. 100g/m ²) on larger surfaces.
Super PU Roller 50 cm	8000925000	1	Specially developed for the application of Super PU Sealer (approx. 100g/m ²) on larger surfaces.
Roller "Aquatop" 25 cm	8100922200	1	For the optimal and fast application of all lacquers for wood and cork floors and PU Sealer range on large areas.
Roller "Aquatop" 50 cm	8000922200	1	For the optimal and fast application of all lacquers for wood and cork floors and PU Sealer range on large areas.
Lattice frame 25 cm with click soft handle	8100922000	1	Special frame for Aquatop and Super PU rollers. With Click soft handle. Perfect for use with the Click telescopic pole
Lattice frame 50 cm with click soft handle	8000922000	1	Special frame for Aquatop and Super PU rollers. With Click soft handle. Perfect for use with the Click telescopic pole.

**Laquer Roller & Roller Handle 10 cm**

Product	Item number	Units	Description
Laquer Roller 10 cm	8100924600	5	Specially developed roller for the application of PU Sealer, all lacquers for wood and cork floors and primers on small areas such as stairs and edging.
Roller handle 10 cm	8100924400	1	Slot-in holder for roller 10 cm.

**Hardwax Oil Roller & Roller Handle 25 cm**

Product	Item number	Units	Description
Hardwax Oil Roller 10 cm	8000924800	5	Hardwax oil roller 10 cm.
Hardwax Oil Roller 25 cm	8300900200	5	Special roller for small areas and edges.
Roller handle click soft	8300900100	1	With Click soft handle. Perfect for use with the Click telescopic pole.

**Lacquer Roller eukula**

Product	Item number	Units	Description
Lacquer Roller 25 cm	8300900300	5	Water based lacquers roller.
Roller handle click soft	8300900100	1	With Click soft handle. Perfect for use with the Click telescopic pole.

Cleaning appliances and accessories

APPLICATION SYSTEMS



Professional Radiator Paint Brush

Product	Item number	Units	Description
Professional Radiator Paint Brush as long as available	8000925500	1	Radiator paint brush with natural bristles in good quality for professional workers. The brush is characterized by its dense bristles and its long handle with an angled head. This makes it possible to work ergonomically even in hard-to-reach places. The brush is suitable for applying sealers which are water-based and solvent-based.



Click-Telescopic Pole

Product	Item number	Units	Description
Click-Telescopic Pole 150-300 cm	8100921200	1	High-quality aluminium-Fibreglasscombination with Click system for the simple and safe connection with the Aquatop Roller brackets, user-friendly 2-component-handle



eukula multifunctional bucket & PE bag ☀ New

Product	Item number	Units	Description
eukula multifunctional bucket with lid, 16,5l ☀ New	8398001700	1	Stable and durable multifunctional bucket for mixing, transport and storage with space for 16.5 liters of paint (up to three containers) or a 25 cm paint roller on plug-in bracket. Dimensions 26.7 x 23.7 x 28.6 cm (with lid). Capacity max 16.5 liters.
eukula PE bag for multifunctional bucket ☀ New	8398001800	50	PE insert bag for the eukula multifunctional bucket (16.5 liters). Roll 50 units perforated.



Professional lacquer bucket

Product	Item number	Units	Description
Professional lacquer bucket 22 L (rollable, with handle)	8000000200	1	The rollable lacquer bucket is eminently suitable for larger quantities of lacquer. Thanks to its plastic rollers it's no problem to move the lacquer bucket along the floor even when full, without having to reckon with damage to freshly lacquered surfaces. In combination with the appropriate lacquer bags this bucket provides for ergonomic and efficient work, while also economical. Capacity: max. 22 litres. Dimensions incl. rollers: 54 x 27 x 33cm.
PE bag large (for Professional lacquer bucket)	8000000300	50	Insert bag for Professional lacquer bucket (22 l).



APPLICATION SYSTEMS

**Lacquer tray**

Product	Item number	Units	Description
Lacquer tray	8100931600	1	Large lacquer tray for working with lacquers, oils and hard-wax oils using a roller or a broad brush. Ideally suitable for working with hard-wax oils. Thanks to an integrated scraper-surface it is possible to work with the correct dose of lacquer. In combination with the appropriate blister-linings the lacquer tray can be re-used many times. Dimensions: 32 x 35 cm Capacity: 1.0 litre
Lacquer tray blister lining	8100931700	10	Transparent blister lining for the lacquer tray 32 x 35 cm. By using the blister lining the lacquer tray can be re-used again and again. Dimensions: 32 x 35cm Capacity: 1.0 litre.

**Pro Tape**

Product	Item number	Units	Description
Pro Tape 30 mm x 50 m	8000000400	1	High-grade washi-tape in professional quality. The Pro Tape offers a medium to good adhesive strength and can be removed without leaving traces – even from sensitive surfaces. With the Pro Tape it is possible to draw extremely sharp paint and lacquer edges, because the tape stops liq-uid seeping underneath. High resistance to UV. Ideally suitable also for edge fixing with Protect Fleece. Dimensions: 30 mm x 50 m long.
Pro Tape XL 48 mm x 50 m	8000000700	1	High-grade washi-tape in professional quality. The Pro Tape offers a medium to good adhesive strength and can be removed without leaving traces – even from sensitive surfaces. With the Pro Tape it is possible to draw extremely sharp paint and lacquer edges, because the tape stops liq-uid seeping underneath. High resistance to UV. Ideally suitable also for edge fixing with Protect Fleece. Dimensions: 48 mm x 50 m long.

**Protect fleece**

Product	Item number	Units	Description
Protect fleece 1 m x 50 m	8000000600	1	Masking freshly lacquered and oiled surfaces is already possible after 48 hours*. High quality special protective fleece for protecting freshly lacquered or oiled surfaces. The Dr. Schutz Protect Fleece is characterized by its high "breathing" activity while simultaneously protect-ing against wetness. Water or other fluid media cannot penetrate from above, while water vapour from below can escape upwards through special membranes. On Dr. Schutz products it is possible to mask off areas after only 48 hours (at 20°C / 50 % rel. humidity). 1m x 50m.

**T-Wischer**

Product	Item number	Units	Description
T-Applicator	8398005300	1	Applicator for euku refresher and euku maintenance oil.
Cover for T-Applicator	8398005400	1	

**Polishing cloth**

Product	Item number	Units	Description
Polishing cloth	8398005500	approx.250 p (approx.15kg)	For polishing and taking up residues of euku refresher and euku maintenance oil. Can be used with SRP1 and Floorboy. Box approx. 250 pcs. Carton weight approx. 15 kg.
	8100979800	20 p	

Cleaning appliances and accessories

APPLICATION SYSTEMS



Spatula

Product	Item number	Units	Description
Spatula	8100922800	6	Double blade spatula. Stainless steel, curved edges for fillers and oils.



Dust binding cloth

Product	Item number	Units	Description
Dust binding cloth as long as stock lasts	8398002300	1 bag 5 p.	For taking up sanding dust.

CLEANING EQUIPMENT AND ACCESSORIES FOR TEXTILE, RESILIENT, WOOD AND STONE FLOORS AND TERRACES



Multi CLEAN 350

Product	Item number	Units	Description
Multi CLEAN 350 incl. set of brushes (your choice)	8000929000	1	High performance combi-machine with counter rotating brushes for the intensive cleaning of just about all surfaces indoors and outdoors. For the cleaning of textile floor coverings in combination with Carpetlife Powder. For the intensive cleaning of terraces made of wood, WPC and stone, in combination with the appropriate intensive cleaner. For renovating grey wooden surfaces in combination with Outdoor Wood refresher. For the cleaning of PVC, Lino, rubber and stone floors (including natural stone) in combination with the appropriate basic cleaners. Even structured floors can also be cleaned thoroughly. Technical data: Total power: 550 W, Weight: 19,5 kg, Rotational speed of the brushes: approx. 400 c/m, Cable length: 10 m, Working width: 350 mm.
Soft brush (white)	8000929100	2	For cleaning wool Berbers and Saxony.
Medium brush (blue)	8000929200	2	For cleaning carpets made of velour, smooth loop and needle felt.
Hard brush (brown)	8000929300	2	For cleaning carpets made of velour, smooth loop and needle felt as well as PVC, linoleum and rubber.
Extra hard brush (black)	8000918300	2	For cleaning wooden and WPC terraces as well as stone floors.



Spray Boy 2000

Product	Item number	Units	Description
Spray Boy 2000	8000906000	1	Spray-extractor appliance which is particularly compact, handy and easy to transport. The cleaning solution is sprayed into the depths of the pile, the dirt is loosened and then vacuumed away. By using the optionally available accessories which can additionally be applied for the cleaning of cushions, vacuuming of hard floors by cleaning fleets or as a classical dry vacuum cleaner. Technical data: Working width: 26 cm, Dimensions: 53 x 53 x 40 cm, Dirt water tank: 7 l, Cleaning pressure: 2,5 bar, Fresh water tank: 6 l, Total power: 1.000 W, Water discharge: 1,7 l/min, Weight: 9,0 kg.
Upholstery nozzle	8000906100	1	
Filter bags	8000906700	10	
Hard floor tool	8000906600	1	3 brass spray nozzles, brush, 37 cm working width.
Wet floor tool	8000906200	1	Nozzle, working width 22 cm . For spray extraction after one basic cleaning of hard floors.
Cap purple	85001000517	1	Colored transparent cover for Spray Boy.

CLEANING EQUIPMENT AND ACCESSORIES FOR TEXTILE, RESILIENT, WOOD AND STONE FLOORS AND TERRACES



Mini Mono Disc "Floor Boy"

Product	Item number	Units	Description
Mini Mono Disc "Floor Boy"	8000911800	1	Handy single-disc machine, only 33 cm wide, especially developed for all types of hard floors and stairs. Ideally suited for cleaning, polishing and oiling floors. Thanks to its oscillating movements this machine is very easy to guide effortlessly, and ensures very efficient cleaning of surfaces. In addition, the fitted water-tank facilitates dosage when carrying out cleaning work. Suitable for oiled, waxed or lacquered wood floors, terazzo, granite, laminate, linoleum, vinyl, PVC, stone and tiles. Technical data: Total power: max. 290 W/230 V, Working width: 33 cm, Cable length: 7,5 m, Weight: 13 kg, Revolutions: 1.450 rot./min.
Driving disc plate	8000912200	1	Driving disc for holding cleaning pads.
Micro fibre pad Ø 330 mm	8000911900	1	For cleaning of textile floors and for intensive cleaning of stone.
Red pad Ø 330 mm	8000912400	5	For intensive cleaning of sealed wood and cork floors.
Green pad Ø 330 mm	8000912300	5	For basic and intensive cleaning of oiled wood and cork floors and resilient floors.
White pad Ø 330 mm	8000912000	5	For polishing care product on oiled wood and cork floors, resilient and stone floors.
Felt pad Ø 330 mm	8000911500	10	For taking up residues of oil on oiled wood floors.



Carpetlife 310/370 brush vacuum cleaner

Product	Item number	Units	Description
Carpetlife 310 brush vacuum cleaner	8000960600	1	Efficient brush vacuum cleaner with two engines for the effective maintenance of textile floors. Also removes deepdown dirt from the floor. Suitable for all carpets which are insensitive to handle. The alternative hard floor attachment is ideally suitable to clean and polish wipe over care products and waxes on all hard floors.
Carpetlife 370 brush vacuum cleaner	8000961100	1	
Hard floor vacuum adapter	8000960900	1	Technical data: *Carpetlife 310/**Carpetlife 370, Total power: 875 W*/900 W**, Working width: 310 mm*/370 mm**, Brush drive/ Tooth belt: 175 W*/200 W**, Filterbag: 3,5 litres, 3-layer, Weight: 7 kg, Cable: 9,5 m.
Fleece filter bags	8000961700	10	

CANISTER ACCESSORIES



Dispensing pump & Drain tap

Product	Item number	Units	Description
Dispensing pump for 2,5l; 5l; 10l can.	8000930000	1	For an easy pouring from Dr. Schutz canisters. Thanks to high dosing accuracy for detergents and care products it can be used universally. This makes it possible to use every canister in the stationary refill / dispenser system and is sustainable and functional in system and performance.
Drain tap for 5l and 10l can.	8000930900	1	Universally usable on 5 l and 10 l canisters. For optimal and loss-free use of cleaning and care products. Ideal for horizontal storage.



scratchnomore

Furniture gliders for perfect protection!



8210245000

for hard floors Ø25mm



8210255000

for hard floors Ø31mm



8210270000

for hard floors Ø44mm



8210401000

Ø 25-40mm (for hard floors)

FootClick 2* FootClick 2 threadable for all chair and table legs made of wood and plastic

Tubefix The flexible solution, above all for wider swinging chairs.



8210700000

Multifix* for furnitures with 50 x 26mm legs



8210710000

Minifix* for furnitures with 35x18mm legs



28mm = 8210107000

34mm = 8210200000

Footfix Wood* for all legs made of wood



M8 28 = 8210300700 | M10 28 = 8210301700

M8 34 = 8210300000 | M10 34 = 8210301000

Footfix Threaded

Thread Size M8, M10



8210105500

small = Ø10-15mm

8210106500

medium = Ø14-21mm

8210107500

large = Ø20-30mm

Footfix Hollow* Footfix Hollow for all hollow legs



8210607000

Ø 12mm (hard floors + pin)



8210610000

Ø 16mm (hard floors + pin)



8210620000

Ø 19mm (hard floors + pin)



8210630000

Ø 22mm (hard floors + pin)



8210640000

Ø 25mm (hard floors + pin)

Chairfix* The transparent glider solution for swinging chairs.



8210930000

Ø 28mm



8210900000

Ø 34mm

Footfix Replacement parts (1)



Tubefix Replacement parts (1)

Product	Item number	Packaging	Units			Description
scratchnomore Sample Case	8210026000	1				All Scratchnomore gliders at a glance in an attractive display case. Presented in a classy and functional way, ideal when travelling or on display in a high quality showroom.

FOIL PACKAGING BAG

For chair and table legs made of wood and plastic that are perpendicular to the floor (flat underside min.Ø 25 mm)

FootClick 2 for hard floors Ø 25 mm	8210245000	4				The ideal solution for all chair- and table legs made of wood and plastic. Basic part can be screwed on with replaceable protective heads.
for hard floors Ø 31 mm	8210255000	4				
for hard floors Ø 44 mm	8210270000	4				

For all types of furniture

TubeFixx Medium for hard floors (25-40 mm)	8210401000	4				The flexible solution, above all for wider swinging chairs. Easily adjustable for chairs with round, oval, square and rectangular legs.
Multifixx for hard floors for hard floors (50 x 26 mm)	8210700000	4				The all-round-solution for all types of furniture. Basic part can be glued permanently, or screwed on with replaceable protective heads, universally adaptable.
Minifixx for hard floors 35 x 18 mm	8210710000	4				The all-round solution for all smaller kinds of furniture. Basic part can be glued fast or screwed, universally adaptable. Also for all swinging chairs with square, narrow tubes.

For chair and table legs made of wood and plastic with a minimum diameter of 28 mm

Footfixx Wood for hard floors Ø 28 mm	8210207000	4				Fits on all chair- and table legs made of wood. Simply screw the basic part into the wooden base. Replaceable protective caps.
for hard floors Ø 34 mm	8210200000	4				

For chair and table legs with internal screw thread of M8 or M10

Footfixx Threaded M8 for hard floors Ø 28 mm	8210300700	4				For all chairs with interior screw thread sizes of M8 or M10. Easy to fit with replaceable protective caps.
for hard floors Ø 34 mm	8210300000	4				
Footfixx Threaded M10 for hard floors Ø 28 mm	8210301700	4				
for hard floors Ø 34 mm	8210301000	4				

For wickerwork chairs with an interior diameter of 10-30 mm.

Footfixx Hollow Small for hard floors, (10-15 mm) Ø 28 mm	8210105500	4				Tailor-made flexibility: for all wickerwork chairs with an interior diameter of 10-30 mm. Replaceable protective caps.
Footfixx Hollow Medium for for hard floors, (14-21 mm) Ø 28 mm	8210106500	4				
Footfixx Hollow Large for hard floors, (20-30 mm) Ø 28 mm	8210107500	4				
Footfixx Hollow Small for hard floors, (10-15 mm) Ø 34 mm	8210100000	4				
Footfixx Hollow Medium for hard floors, (14-21 mm) Ø 34 mm	8210101000	4				
Footfixx Hollow Large for hard floors, (20-30 mm) Ø 34 mm	8210102000	4				

For swinging chairs with round tubes Ø 12-25 mm

Chairfixx for hard floors 12 mm, without pin	8210601000	4				The transparent glider solution for swinging chairs. Ideal for classic and modern chairs in the office or at home.
12mm, with a fixed pin	8210607000	4				
16 mm, removable pin	8210610000	4				
19 mm, removable pin	8210620000	4				
22 mm, removable pin	8210630000	4				
25 mm, removable pin	8210640000	4				
Chairfixx Flex Tape 19 mm x 5 m	8212834000	1				To optimally fix Chairfixx in case of a different diameter.

Product	Item number	Packaging	Units		Description
BLISTER PACK 8X4P					
FootClick 2 for hard floors Ø 25 mm	8210245050	4	8		The ideal solution for all chair- and table legs made of wood and plastic. Basic part can be screwed on with replaceable protective heads.
for hard floors Ø 31 mm	8210255050	4	8		
for hard floors Ø 44 mm	8210270050	4	8		
Multifixx for hard floors for hard floors (50 x 26 mm)	8210700050	4	8		The all-round-solution for all types of furniture. Basic part can be glued permanently, or screwed on with replaceable protective heads, universally adaptable.
Footfixx Wood for hard floors Ø 28 mm	8210207050	4	8		Fits on all chair- and table legs made of wood. Simply screw the basic part into the wooden base. Replaceable protective caps.
for hard floors Ø 34 mm	8210200050	4	8		
Footfixx Hollow Small for hard floors, (10-15 mm) Ø 28 mm	8210105550	4	8		Tailor-made flexibility: for all wickerwork chairs with an interior diameter of 10-30 mm. Replaceable protective caps.
Footfixx Hollow Medium for hard floors, (14-21 mm) Ø 28 mm	8210106550	4	8		
Chairfixx for hard floors					The transparent glider solution for swinging chairs. Ideal for classic and modern chairs in the office or at home.
16 mm, removable pin	8210610050	4	8		
22 mm, removable pin	8210630050	4	8		

Product	Item number	Packaging	Units		Description
---------	-------------	-----------	-------	--	-------------

FOIL PACKAGING BAG

Replacement part

FootClick 2 replacement for hard floors Ø25mm replacement for hard floors Ø31mm replacement for hard floors Ø44mm	8210940000 8210941000 8210945000	4 4 4			Replacement part for FootClick 2 for hard floors.
Replacement Tubefixx for hard floors	8210950000	4			
Multifixx replacement for hard floors	8210970000	4			
Minifixx replacement	8210980000	4			Replacement part for Minifixx
Footfixx replacement Round for hard floors Ø28mm for hard floors Ø34mm	8210930000 8210900000	4 4			Replacement part for Footfixx Wood, Footfixx Threaded and Footfixx Hollow for hard floors.

KNOW - HOW & SALES TOOLS FOR PROFESSIONALS



ARCHITECTS COLLECTION

ITEM NUMBER:
6000006000



FLOOR+ COLLECTION

ITEM NUMBER:
6000301401

EUKULA SYSTEMAINER

ITEM NUMBER:
6000007000

Contains **sample cans** of all eukula colour oil FS colours as well as one each of eukula conditioner, eukula oil 1 FS, eukula master FS and other accessories.

SALES SUPPORT FOR YOUR CUSTOMER MEETINGS



	ITEM NUMBER
Simply the best for floors in nursing homes	6000508501
Simply the best for floors in healthcare environments	6000015501
Simply the best for floors in industrial and commercial buildings	6000503601
Simply the best for floors in sport and fitness	6000503501
Sports floor renovation	6000503701

DR. KARL SCHUTZ TRAINING ACADEMY

in Hessisch-Oldendorf

Further education and training with certificate in the Dr. Schutz training academy on over 500m²



General Conditions of Sale - Dr. Schutz GmbH

1. Applicability

- 1.1 These General Terms and Conditions apply to all present and future business relations.
- 1.2 Where a customer's general business terms differ from, contradict or go beyond these conditions, such terms shall not become part of any contract, even if acknowledged, save with our express written consent to their applicability.

2. Conclusion of the Contract

- 2.1 Our sales proposals are made subject to confirmation. We reserve the right to make reasonable changes to technical aspects of our products or to their composition, colour and/or weight.
- 2.2 By placing an order, the customer gives binding confirmation of his intent to purchase the goods ordered. We shall be entitled to accept the contract proposed in such order at any time up to two weeks after receipt thereof. Acceptance may be declared in writing or by delivering the goods to the customer.
- 2.3 Delivery deadlines shall be binding only if we have confirmed them in writing.

3. Prices and Payment Terms

- 3.1 Unless specifically agreed otherwise in writing, the prices that shall apply shall be those on the pricelist in force at the time the order is placed, taking into account any discounts granted. If more than 4 months elapse between concluding the contract and despatching the goods to the customer, then the price payable for the goods shall be the price prevailing on delivery, save only if there has been a delay in delivery for which we are responsible.
- 3.2 Unless specifically indicated otherwise, prices shown on the pricelist or otherwise issued are quoted exclusive of value added tax at the rate legally applicable upon delivery.
- 3.3 Following despatch of goods, an invoice will be promptly sent to the customer. The customer undertakes to pay the invoice amount within 30 days from receipt of goods. If this deadline passes without payment the customer shall be in default. Where payment is made within 14 days from receipt of goods, the customer shall be granted a discount of 3% on the balance of the invoice remaining after deduction of any sales rebates.
- 3.4 During any period of arrears, the customer shall pay interest on all unpaid debts at the rate of 8% above the base rate prevailing from time to time. Furthermore, we reserve the right to show just cause for and to claim damages in excess of this.
- 3.5 The customer may offset our payment demands against unpaid invoices only if such invoices are undisputed and legally enforceable. Further, the customer may exercise the right of retention only if such invoices relate to business done on the same contractual terms.

4. Delivery and Transfer of Risk

- 4.1 The place of performance and execution shall be the seat of our works in Hessisch Oldendorf. Ex works.
- 4.2 We shall despatch the goods ordered by a means and route of carriage of our choosing to the customer's head office, unless the customer has specifically given us an alternative delivery address. Delivery will be made on working days during normal business hours (07.00-18.00 hrs.). Even if specific notification of the delivery date is not given in advance, it is the customer's responsibility to ensure that the delivery can be accepted. If goods cannot be delivered due to lack of preparedness, the customer shall be in default.
- 4.3 All risks associated with the goods being accidentally destroyed or damaged shall pass to the customer as soon as we hand the goods over to the carrier, haulier or such other person or organisation as we may charge with despatching said goods. If we have entered into a special agreement about the means of delivery and deviate from this without good reason, then we shall be liable for any damage arising therefrom.
- 4.4 The customer shall without delay advise both us and the carrier of any damage caused during transit.
- 4.5 We do not take back empty packaging.
- 4.6 Insofar as we are prevented from keeping any delivery deadline agreed as a result of circumstances that fall within the customer's area of risk, by strike action, a lock-out organised by the employers' trade association at our business or at a business working directly for us, due to force majeure or to other circumstances beyond our control, and if we notify the customer promptly of the reason for the delay, then the customer shall agree to an extension of the deadline by up to 4 weeks. The length of such extension shall be set based on the duration of the events causing the delay.
- 4.7 The customer shall reimburse us for any extra costs that we incur due to delivery delays for which the customer is responsible.
- 4.8 Should we default on our delivery obligations, the customer may claim a lump sum compensation in the amount of 0.5 % of the item's price then prevailing, for each full week that each delivery item is delayed, up to a maximum of 5%. The customer shall only be entitled to claim compensation in excess of this figure subject to the terms and limitations of clause 7.

5. Reservation of Title

- 5.1 Delivered goods shall remain our property until full settlement is received for all pecuniary claims made by us arising from the delivery itself and from all on-going business dealings up to that point. The transfer of individual debts to an open account or the balance setoff, even where such actions are approved, shall not affect the reservation of title.
- 5.2 The customer undertakes to handle the goods carefully and to inform us without delay of any claim on the goods by third parties, for instance in the event of the goods being impounded, or if they are damaged or destroyed. The customer must promptly advise us of any change of title to the goods or change of address.
- 5.3 Should the customer's conduct be in violation of the contract, particularly in the event of payment default or failure to meet the obligations of clause 5.2, we shall be entitled to withdraw from the contract and to require the return of the goods. Should we impound the delivered goods, this shall not be considered as a withdrawal from the contract.

- 5.4 As part of the ordinary course of business, the customer is entitled to resell the goods. The customer herewith assigns to us and we herewith accept the assignment of all such receivables, up to the value of invoices we have raised, as may accrue from third parties through such resale. After such assignment, the customer remains entitled to collect said receivables. We, however, retain the right to collect these ourselves if, and as soon as, the customer fails to fulfil payment obligations on time and falls into payment arrears. For as long as we reserve the title to the goods, the customer is not authorised to dispose of them in any other way than through resale.

6. Warranties

- 6.1 Insofar as it is feasible in the normal course of business, the customer shall check the goods for completeness and external damage promptly after receipt. If anything is missing or defective, the customer shall notify us in writing within two weeks from receipt of the goods. If he fails to make such notification, it shall be deemed that the goods have been approved and no warranty claims shall be asserted, save only in the event that a defect arises that could not have been noticed during inspection or had been concealed by us with wilful intent.
- 6.2 The quality of the goods shall strictly be deemed to be agreed exclusively as defined by our product description. By contrast, any statements about the goods' qualities in general advertising or promotion shall have no contractual relevance.
- 6.3 We offer the customer no specific legal guarantees.
- 6.4 In the event of our goods being defective, we shall, in the first instance, have the option to make amends by remedial work or by replacement delivery (post-performance). If such post-performance fails to suffice, the customer may, in accordance with the following provisions, demand a reduction in the price (abatement), cancellation of the contract (rescission) or compensation for damage.
 - Where contractual infractions are only of an insubstantial nature, especially where defects in the goods are only minor, the purchaser shall have no right of cancellation.
 - The customer may only claim compensation subject to the terms and limitations of clause 7.
 - Electing to withdraw from the contract, the customer shall not be entitled to claim compensation for any deficiencies.
 - If electing to seek compensation for damage, the customer shall retain the goods insofar as the customer can reasonably be expected so to do. In such event, and unless the vendor has wilfully concealed a breach of contract, compensation shall be limited to the difference between the purchase price and the value of the defective goods.
- 6.5 All rights to warranty claims in respect of any deficiency, including claims for compensation, are strictly limited to a period of one year from the date at which the goods are delivered. After this date, all warranty rights lapse unless we have wilfully concealed such deficiencies. The period of limitation shall be 5 years insofar as the purchase contract relates to goods that have, according to their ordinary mode of application, been used in the construction of a building and caused its defectiveness. The assumption of approval as defined in clause 6.1 is not affected by this provision.

7. Compensation for Damage

- 7.1 In the event of non-compliance with any contractual or non-contractual obligation, also by our senior executives or any other vicarious agents, a claim for compensation may only be made against us subject to the following provisions:
- 7.2 In the event of a wilful or grossly negligent breach, our liability shall be governed by the provisions of the law. In the event of less negligent breaches, we shall be liable only where such breach relates to a material contractual obligation. Our liability in such cases shall be based on the type of goods in question and limited to actual average damages that could be anticipated and are typical in contracts for goods of this type. The customer's rights in respect of product liability are not affected by these liability limitations for cases of minor negligence; further, such limitations shall not apply in the event of bodily harm, damaged health or loss of life attributable to us.
- 7.3 Rules in respect of burden of proof are unaffected by the foregoing provisions.

8. Other Provisions

- 8.1 The laws of the Federal Republic of Germany shall apply to all claims between the parties in respect of this contract to the exclusion of the provisions of CISG (United Nations Convention on Contracts for the International Sale of Goods).
- 8.2 Exclusive jurisdiction on all claims arising out of or in connection with this contract shall rest with the courts of the city in which Dr. Schutz GmbH has its registered office.
- 8.3 Should individual provisions of the contract with the customer, including provisions of these General Terms and Conditions be or become wholly or partially unenforceable, this shall not affect the validity of the remaining provisions. In such case, the wholly or partially invalid clause shall be replaced by a clause that comes as near as possible to the economic success of the invalid one.
- 8.4 Changes or additions to the contract must be made in writing. The same applies to any waiver of the written form requirement itself.

Issued: 20-11-2002

Dr. Schutz® GROUP

Head office

Tel.: +49 (0) 228 / 95352-0

Web: www.dr-schutz.com

Export

Tel.: +49 (0) 228 / 95352-40

Fax: +49 (0) 228 / 95352-46

E-Mail: export@dr-schutz.com

Dr. Schutz GmbH
Holbeinstraße 17
53175 Bonn

Technical hotline

Tel.: +49 (0) 5152 / 9779-16

Fax: +49 (0) 5152 / 9779-26

E-Mail: technik@dr-schutz.com

Machine service

Tel.: +49 (0) 5152 / 9779-17

Fax: +49 (0) 5152 / 9779-48

E-Mail: geraeteservice@dr-schutz.com

Logistics

Tel.: +49 (0) 5152 / 9779-19

Fax: +49 (0) 5152 / 9779-20

E-Mail: versand@dr-schutz.com

Dr. Schutz GmbH
Steinbrinksweg 30
31840 Hessisch Oldendorf