

eukula®




COLOUR



**Dare to be colorful –
with the eukula color worlds**

For maximum design variety



Create YOUR floor! **Be colorful with eukula**

Enter the eukula color worlds

and discover endless possibilities for wood floor finishing. Your creativity and skill make every floor unique. Thanks to the flexible eukula coloring system, you can open up completely new floor designs - for architects, builders and private households.

Individual floors for every taste

No matter what look you want to achieve: with a few ideas you can design durable and unique wooden floors.




CONDI-
TIONER

P. 12



More inspiration on
eukula.com/en/color-worlds

NATURE
TONES
P. 6



Individual color experiences

Color floors simply and safely - with tried and tested recipes from professionals!

The eukula color system was developed and tested with passion - for more individualism and a love of color on the floors of tomorrow!

Colorize your projects

Choosing the right floor is essential for a room's impression. eukula offers you maximum design variety - so that you can inspire your customers with real wood.floor.love in all its nuances!



Maximum design freedom with eukula color oil FS

Pigmented, natural oil-based impregnation for wood and cork floors

Be creative

In addition to the popular eukula oil 1 FS for a deep, natural accentuation, you can choose from the 12 basic colors of our eukula color oil. Furthermore, you can order special colors on demand from a list of 40 tested color recipes. With this, you have endless design options in living areas and on commercial floors.

Simply beautiful floors

eukula color oils have a strong impregnating effect and contain high-quality pigments. This guarantees long-lasting beautiful and colorful floors.

Can be combined flexibly

As a professional, you will find the ideal combination for every floor and with eukula, creativity is easy: All colors can be mixed and diluted with each other and with eukula oil 1 FS and freely finished with eukula wood floor coatings and eukula hardwax oil+.




on demand


**Exactly your color –
mixed for you**



**Can be used as a
1-component variant as
well as 2-component
with eukula master FS.**

 **solvent-free**

 **long open time**

 **can be
lacquered over**


BASIC COLORS

Before & after – The Cast Iron Grill at the Cologne Marriott Hotel

Wood floor professional Andreas Augustat knows that - In addition to good products, it is important to have the necessary know-how in your team when coloring floors. But: investing in know-how pays off - because more and more people want individual flooring solutions.




Renovating instead of replacing: Extremely worn and damaged wood floor – sanded and newly oiled with eukula color oil FS hazel.



Watch the video here

Inspired by nature – for simply beautiful floors

Effects & colors that perfectly match the room and the owner's wishes



Floors with character in natural nuances

The floor is a central element in a room's design and the natural material wood guarantees a cozy atmosphere. Emphasize and preserve the natural beauty of your floor with high-end products.




NATURE
TONES




White is both popular and timeless. But there is a lot of creative leeway: How about a green eco floor in retail, a new wooden floor in customized colors or a bright eye-catcher in a restaurant? Anything is possible with eukula!




Giving your old wood floor a new life saves resources and protects the environment




golden oak




pumpkin




deer brown




salmon




blackberry



bordeaux



toffee




walnut brown

Realize every floor idea – from brightly colored to modern gray


Create individual works of art by mixing different colors. From natural look to dark, elegant colors, everyone has their personal style. With eukula you can make (almost) every floor dream come true!




COLOR WORLD #1




lime green




turquoise




menthol




ocean blue




petrol




tomato red




rose red




candy




pink



raspberry




mauve




purple


Dare to be colorful: whether it's restaurants or retail stores, training centres or design rooms - unique results can be achieved with eukula!




aluminum gray




sand gray




window gray




green gray




blue gray




tele gray




ash gray



concrete gray




basalt gray




mouse gray


White wooden floors are timeless and extremely popular. With the 14 nuances of the eukula gray collection, you will find attractive alternatives that perfectly round off e.g. the Scandinavian style of a room.




slate gray



steel gray



cherry gray



pearl gray

GRAY

It's all about the color..

Water-based or oil-based: eukula offers the right "color" for every environment.

Colors are not only created with pigmented oils or lyes. Water-based lacquers also offer many options for customizing the color of a wood floor. Wood can be primed in the traditional way with a water-based primer such as eukula classic prime 200 in order

to achieve a warm, largely natural color. In addition, countless other design options are available to professionals. If you have any questions, our experienced eukula color experts will be happy to help you.

Small additive, big effect: The pigmenting additives expand your possibilities. By adding eukula frost and amber prime, the wood is given a whitish or amber color, for example.



lightening pigmentation

→ cold coloring with frost prime

honey-colored pigmentation

→ warm coloring with amber prime

Maximum color enhancement with oil 1 FS

CLASSICS



Beautiful for a long time: impregnating floors with eukula color oil FS and protecting them with eukula hardwax oil+.

Do you want a floor “like untreated”?

Then create a unique raw wood effect with eukula nature 484. Feels and looks like untreated wood.




For a rich, deep color:

On exotic types of wood such as merbau, jatoba and others, the color of wood can be enhanced with eukula exotic prime.

Strong effect


Conditioners as color refreshment

Lyes set visual highlights



eukula oak iron conditioner

Pre-treatment before oiling to blacken the tannins. Color effect similar to smoked oak.



eukula oak antique conditioner

Pre-treatment before oiling to achieve an antique effect. Intensifies the color appearance of oak.



eukula classic lye conditioner

Classic Scandinavian pre-treatment of softwoods before oiling.

CONDITIONER



solvent free




2in1 - moistening and color enhancing

Your formula for a more colorful life = creativity + skill + products

Surpass yourself and make YOUR floor! Being bold with colors needs skill, practice and reliable products.

In our trainings you will get the inspiration and the security you need for creative floor finishes with eukula!



Color worlds „to go“ – the new eukula color systainer

To attain the desired result, in combination with the natural tone of the wood and the unique properties of the selected parquet, you need an experienced professional - and the eukula systainer, with which test planks can be created on site. For an on-site comparison the color effect is essential for perfect results.

Contains

Samples of 12 eukula color oil FS basic colors
(100ml respectively)

eukula classic lye conditioner II

eukula oak antique conditioner II

eukula oak iron conditioner II

eukula oil I FS II

eukula master FS 250ml

green hand pad

PU renovation pad

white hand pad

Polishing cloth

Lacquer mixing cup

Disposable pipette























Art-No. 600007000



Color recipes

	eukula oil 1 FS	eukula color oil FS white	eukula color oil FS pine	eukula color oil FS cherry	eukula color oil FS red	eukula color oil FS black	eukula color oil FS blue	eukula color oil FS green	Art-No.
aluminum gray	39	60				1			0169500100
apricot		80		20					0169502700
ash gray		80	10			10			0169500200
basalt gray	6	80				14			0169500300
blackberry					80	20			0169501600
blue gray	25	70				2	3		0169501200
bordeaux				45	45	10			0169501500
brown purple		30		30	30	10			0169502000
candy	5	45			50				0169502900
cherry gray		50		40		10			0169500600
chestnut		5	40		40	15			0169501700
concrete gray		80		10		10			0169500400
cream		45	55						0169502300
curry		10	90						0169502400
deer brown		20		80					0169501900
golden oak		5	70	25					0169502800
green gray	25	70				2		3	0169501300
lime green		10	80					10	0169503500
mauve		54			36	10			0169503100
menthol		70				10		20	0169503600
mouse gray		80				20			0169500700
ocean blue		60				10	30		0169503800
pearl gray		80			10	10			0169500800
petrol		30				10	30	30	0169503700
pink		80			20				0169503200
pumpkin			60	40					0169502500
purple		20			60		20		0169503900
raspberry		47,5			47,5	5			0169503000
red brown			50		40	10			0169502200
rose red				50	50				0169503300
salmon		40		60					0169502600
sand gray		80		16		4			0169500900
slate gray		80				15	5		0169501400
steel gray		50	40			10			0169501000
tele gray	14	80				6			0169501100
toffee		20		75		5			0169502100
tomato red			40	30	30				0169503400
turquoise		90					3	7	0169504000
walnut brown			40	50		10			0169501800
window gray	37	60				3			0169500500

Floor finish possibilities with color

	Colour oil Play of colours	Color oil wax finish Coloured with topping	Colour oil - hard wax oil Art and film	Oil and lacquer Combining two worlds
1.	 Prepare/sand surfaces according to the state of the art and the rules of the trade. Grout with fill 101 - grouting solution . It is important that the sanding pattern is as free of sanding marks as possible.			1. Prepare/sand surfaces according to the state of the art and the rules of the trade. Grout with fill 101 - grouting solution . It is important that the sanding pattern is as free of sanding marks as possible.
2.	 Moisten the sanded floor (25-50 ml/m ² pure water). Spray on/wipe up - surface must be fully wetted once - wait for complete visible drying.			
2a.	 ALTERNATIVELY , the eukula conditioners can also be used for step 2 to create a special coloured effect. Wipe on - 18 hours drying time - build up with the desired impregnation system.			
	 With the following treatment methods floors are protected for medium- to heavy-traffic areas.			
3.	 color oil FS ~ 50 ml/m ² 18 - 24 hours	 color oil FS ~ 50 ml/m ² 18 - 24 hours	 color oil FS + master FS ~ 50 ml/m ² 18 - 24 hours	
4.	 Completely buff off/polish out excess with Normal Pad white or beige.			
5.	 care oil ~ 25 ml/m ² 18 - 24 hours until usable	 refresher refresher classic ~ 25 ml/m ² 18 - 24 hours until usable	 hardwax oil+ 60 - 80 ml/m ² 18 - 24 hours until usable	
6.	 Completely buff off/polish out excess with Normal Pad white or beige.			
	 colored, open-pored, natural and plant-based pure oil impregnation	 colored, open-pored, natural and plant-based pure oil impregnation with wax finish	 colored, plant-based, natural impregnation with the protection of an evenly film-forming hard wax oil	
	 To achieve maximum durability, add master FS to the oil systems in a mixing ratio of 10:1.			
More detailed information can be found on eukula.com in our current product information and our technical information sheets.				
*Load capacity ( light,  medium,  strong/very strong,  extremely strong)  solvent-free product				
				 Oil lacquer structure naturally warm or colored, with the protection of a lacquer

WOOD.FLOOR.LOVE – made with  in Germany

Naturally creative

The eukula brand has been focusing on protecting your health and the environment for 60 years. From solvent-free products to tree planting campaigns – eukula stands for the symbiosis of professional craftsmanship and natural products. Out of passion for the perfect floor – for you and our environment.



Art. No.: 6000073901 08/23



Member of
DGNB
Deutsche Gesellschaft für Nachhaltiges Bauen
German Sustainable Building Council

eukula® a brand of **Dr. Schutz® GROUP**

D
Dr. Schutz International
Holbeinstraße 17
D-53175 Bonn, Germany
☎ +49 (0) 228 / 953 52 - 0
✉ export@dr-schutz.com

US
Sam Jamison
219 Monroe Street
Stowe, PA 19464, USA
☎ 001/877 272 4889
✉ sam@dr-schutz.us

UK
Guy White
Unit 24 Anglo Business Park
Smeaton Close | Aylesbury
Bucks HP19 8UP, UK
☎ +44 7587 053634
✉ guy.white@drschutz.co.uk

Ireland
Paul O'Reardon
35 Pic Du Jer Park
Ballinlough | Cork, Ireland
☎ 00353/877 678 388
✉ drschutzireland@gmail.com

 www.eukula.com

 [/eukula_de](https://www.instagram.com/eukula_de) 

 [/eukula_int](https://www.youtube.com/eukula_int)